



United States
Department of
Agriculture


Agricultural
Marketing
Service

TOB-FL-28


Washington, D.C.
April 1985

Tobacco Market Review

Flue-Cured, 1984 Crop



Flue-Cured Tobacco Auction Markets and Marketing Areas



Flue-cured auction markets were grouped into broad marketing areas by the Flue-Cured Tobacco Advisory Committee. Buyers and inspectors were assigned to marketing areas based on designations by growers.

Contents

	<u>Page</u> 4
Review of the 1984 marketing season	4
Summary of standard flue-cured tobacco grades	5

Tables

Table

1. Allotted sales opportunities compared to producers' sales, 1984 crop	6
2. Initial and final designation of the 1984 crop	7
3. Opening and closing dates, and number of warehouse firms by type, state, and market	8-9
4. Movement of tobacco across state lines	10
5. Producers' sales, value, and average price by types, 1979-84 crops	10
6. Gross sales, value, and average price; resales, average price, and percentage of gross sales by types, 1979-84 crops	11
7. Producers' sales, value, and average price by type, state, and market	12-13
8. Gross sales, value, and average price by type, state, and market	14-15
9. Resales, average price, and percentage of gross sales by type, state, and market	16-17
10. Rank of markets by volume of producers' sales, by separate types and by all types, 1984 crop	18
11. Season average prices and support rates by individual grades, per 100 pounds	19-21
12. Average prices by weeks for representative grades and season averages--Type 11	22-23
13. Average prices by weeks for representative grades and season averages--Type 12	24-25
14. Average prices by weeks for representative grades and season averages--Type 13	26-27
15. Average prices by weeks for representative grades and season averages--Type 14	28
16. Warehouse charges by states, 1984 crop	29
17. Average weight per lot, 1979-84 crops	29
18. Tobacco received by the Stabilization Corporation, 1981-84 crops	29
19. Percentage distribution by groups and types, 1980-84 crops	30
20. Percentage distribution by qualities and types, 1980-84 crops	30
21. Percentage distribution by colors and types, 1980-84 crops	31
22. Percentage distribution by groups, qualities, and colors for types 11-14, 1980-84 crops . .	31
23. Percentage distribution by grades and types, 1984 crop	32-33
24. Percentage breakdown of marketings by selected groupings, 1984 and 1983 crops	33
25. Percentage distribution by grades for all types, 1982-84 crops	34-35
26. Average price by grade groups and types	35

Review of the 1984 Marketing Season

The 1984 crop of flue-cured tobacco was blessed with much better growing conditions than the 1983 crop, resulting in better quality on the warehouse floors. Demand, however, was no better than moderate as a high percentage of marketings was delivered to the Stabilization Corporation again this year. New record highs were set in all belts with the exception of Eastern North Carolina.

Sales and averages. Producers were paid an average price of \$181.07 per hundred for the 1984 crop--an increase of \$3.25 from 1983. Net sales at auction totaled 845.6 million pounds or 3.8 percent above last season. Net value of \$1,531.1 million was up \$82.4 million or 5.7 percent.

Grade averages. Individual grade averages varied significantly from 1983 levels, even though the average support price remained the same. In the leaf group, losses of mainly \$2 to \$7 per hundred occurred, except on lower supported grades of unripe or green tobacco where gains of \$2 to \$12 were shown. The majority of cutter grades lost \$2 to \$4 per hundred. Lugs were generally unchanged to \$5 higher with small declines on a few higher supported grades. Virtually all categories of primings and nondescript increased, most within a range of \$5 to \$14 per hundred pounds. The practical top price remained at \$205 for the third consecutive year.

Composition of offerings. Quality improved substantially from the dry weather crop of 1983. A smaller proportion of the crop consisted of primings and nondescript with increases in lugs, cutters, and smoking leaf. Percentages by group were: leaf 57; smoking leaf 1; cutters 13; lugs 17; primings 9; and nondescript 2 percent. Tobacco grading good quality or better increased to 18 percent of sales, fair quality was up to 59 percent, low quality declined to 19 and poor quality to 2 percent. Sales in mature to mellow grades were up to 47 percent while unripe and immature grades declined to 50 percent of auctions. The three heaviest grades and their percentages were: B4KM (10.5); B4K (8.0); and B4KF (6.7). Completing the top ten grades were: C4KM (4.7); B5K (4.5); B3KM (4.4); X4KM (3.4); B4KR (3.3); X4F (3.2); and P4F (2.9). These ten grades made up 51.6 percent of all 1984 auctions.

Loan rates. Loan rates by grades for 1984 reflected an average support level of \$1.699 per pound, unchanged since 1982.

Stabilization receipts. The amount of tobacco placed under loan at auction was close to the 1983 auction figure. A total of 158.6 million pounds was delivered to the Cooperative representing 18.8 percent of net sales. This compares to 162.5 million or 19.9 percent in 1983. An additional 30.9 million pounds from carryover stocks were placed under loan in 1983. Percentages of auction loan receipts by group follow:

Group	1984	1983
Leaf (B)	37.4	44.0
Smoking leaf (H)	0.8	0.1
Cutters (C)	33.5	17.7
Lugs (X)	25.6	29.5
Primings (P)	2.6	7.7
Mixed (M)	*	--
Nondescript (N)	0.1	1.0

*Less than one-tenth of one percent.

New grades. The Official Standard Grades were revised again for the 1984 crop. Two new grades, B3KD and C3KM, were added. In addition, the mixed grades were reinstated after being deleted in 1983. They are: M4F; M5F; M4KR; M4KM; M5KM; M4GK; and M5GK.

Marketing regulations. Auctions were again regulated by the grower designation plan implemented in 1974. In 1984, a user fee of 55 cents per hundred was charged for grading services of the Tobacco Division, USDA. The assessment to the grower for the "no-net-cost tobacco account" remained at the 1983 level of 7 cents per pound. Owners of quotas who leased and transferred all or part of their quota were not required to contribute to the "no-net-cost" account in 1984. A penalty of 75 percent of the previous year's average market price was imposed on producers who did not contribute to the account, in addition to losing price support eligibility. The Stabilization Corporation's deduction for overhead cost remained at 1 cent per pound. Warehouse operators were required to stamp "no price support" on the inspection certificate for tobacco that was ineligible for support services.

Preliminary 1985 quota. The basic quota for 1985 was reduced 3.7 percent to 775 million pounds. Due to net overmarketings, the effective quota for 1985 is projected to be 764 million pounds, 8.2 percent below the 1984 effective figure of 832 million pounds.

SUMMARY OF STANDARD FLUE-CURED TOBACCO GRADES 1/

Key to standard grademarks for flue-cured tobacco

<u>Groups</u>	<u>Qualities</u>	<u>Color symbols</u>		<u>Combination symbols</u>
A - Wrappers	1 - Choice	L - Lemon	KL - Variegated lemon	XL - Lug side
B - Leaf	2 - Fine	LL - Whitish-lemon	KF - Variegated orange	PO - Oxidized primings
H - Smoking leaf	3 - Good	F - Orange	KD - Variegated dark red	XO - Oxidized lugs or cutters
C - Cutters	4 - Fair	FR - Orange red	KV - Variegated greenish	BO - Oxidized leaf
X - Lugs	5 - Low	R - Red	KM - Variegated mixed	GL - Thin-bodied nondescript
P - Primings	6 - Poor	K - Variegated	G - Green	GF - Medium-bodied nondescript
M - Mixed		KR - Variegated red or scorched	GR - Green red	LP - Lemon (primings side)
N - Nondescript		V - Greenish	GK - Green variegated	FP - Orange (primings side)
S - Sand			GG - Gray green	
	<u>Special factor</u>		<u>Special symbol</u>	
	W - Wet		S - Slick	
	U - Unsound			
	Sand or Dirt			

Special factors "sand" or "dirt" may be applied to all priming grades and to first quality nondescript from the priming side.

Individual flue-cured grades

<u>2 Grades of Wrappers:</u>	<u>Leaf--Continued:</u>	<u>Cutters--Continued:</u>	<u>Lugs--Continued:</u>
A1L	B5KF	C4L	X4KM
A1F	B6KF	C5L	X4GK
	B3KD	C4LL	X4G
<u>59 Grades of Leaf:</u>	B4KD	C5LP	X5G
B1L	B5KD	C1F	
B2L	B6KD	C2F	
B3L	B4KV	C3F	
B4L	B5KV	C4F	
B5L	B6KV	C5F	
B6L	B3KM	C5FP	
B1F	B4KM	C4KR	
B2F	B5KM	C4V	
B3F	B6KM	C4S	
B4F	B4G	C4KL	
B5F	B5G	C4KF	
B6F	B6G	C3KM	
B1FR	B5GR	C4KM	
B2FR	B4GK	C4G	
B3FR	B5GK	C4GK	
B4FR	B6GK		
B5FR	B5GG		
B6FR			
B5R		<u>25 Grades of Lugs:</u>	
B6R		X1L	
	<u>14 Grades of Smoking Leaf:</u>	X2L	
B3K	H3L	X3L	
B4K	H4L	X4L	
B5K	H5L	X5L	
B6K	H6L	X4LL	
B3KR	H3F	X1F	
B4KR	H4F	X2F	
B5KR	H5F	X3F	
B3V	H6F	X4F	
B4V	H4FR	X5F	
B5V	H5FR	X3KR	
B3S	H6FR	X4KR	
B4S	H4K	X3V	
B5S	H5K	X4V	
B3KL	H6K	X3S	
B4KL		X4S	
B5KL		X4KL	
B6KL	C1L	X4KF	
B3KF	C2L	X4KV	
B4KF	C3L	X3KM	
	<u>22 Grades of Cutters:</u>		

1/ Tobacco not covered by the standard grades is designated "No-G", "No-G-F" or "No-G-Nested"

Table 1.—Allotted sales opportunities compared to producers' sales, 1984 crop 1/

Week ending	Marketing area A	Marketing area B	Marketing area C	Marketing area D	Marketing area E	Total flue-cured 2/
Week ending	Sets of buyers 3/	Sales Prod. sets of buyers opport. sales				
<u>1,000 pounds</u>						
July 26	14	10,975	7,185			14 10,975 7,185
Aug. 02	14	21,883	12,051	13 15,007 11,672	24 18,062 13,346	51 54,952 37,069
Aug. 09	14	21,921	15,169	13 20,014 17,065	24 36,336 27,351	54 81,973 61,618
Aug. 16	7	11,019	10,507	13 18,890 18,041	24 35,239 33,580	60 84,556 76,532
Aug. 23	7	10,166	10,441	13 17,327 17,149	24 32,430 31,859	60 82,252 76,959
Aug. 30	7	9,850	9,937	13 16,957 16,852	24 31,636 31,691	60 80,289 79,216
Sep. 06	7	7,653	7,700	13 12,724 12,825	24 23,917 23,906	60 60,664 60,787
Sep. 13	7	9,892	10,204	13 16,927 16,462	24 31,592 30,499	60 80,184 78,767
Sep. 20	7	9,729	9,837	13 16,927 16,953	24 31,851 32,290	60 80,544 80,959
Sep. 27	7	9,646	8,680	13 16,879 16,858	24 31,851 31,785	60 80,252 79,397
Oct. 04	7	11,412	1,822	13 18,051 18,124	24 33,966 33,859	60 87,026 77,445
Oct. 11	Closed	13	14,502	12,526	27 27,223 23,966	15 15,192 15,581
Oct. 18		13	21,268	4,232	27 43,739 12,288	15 23,059 17,703
Oct. 25	Closed		5 3/ 1,702		4 5,502 2,160	24 30,263 21,565
Nov. 01			Closed		3 3/ 708	15 3/ 6,048
Nov. 07					1 3/ 140	6 3/ 628
						7 768
						14 10,975 7,185
						Closed 11-07-84
						Closed 10-21-84
						Closed 10-18-84
						Closed 10-04-84

1/ Based on grower designation. Sales scheduled by Tobacco Division, AMS, USDA, as recommended by the Flue-cured Tobacco Advisory Committee.

2/ Producers' sales derived from weekly market news reports.

3/ Sales opportunity was not predetermined, but limited to 450,000 pounds per day per set of buyers.

Table 2.--Initial and final designation of the 1984 crop 1/

Marketing area A			Marketing area C		
Market	Initial	Final	Market	Initial	Final
Georgia:			North Carolina:		
Adel	991,140	682,527	Aberdeen	4,736,993	5,177,434
Alma	5,049,619	5,703,734	Ahoskie	6,941,765	7,267,402
Baxley	1,745,403	1,746,064	Carthage	5,174,533	5,339,164
Blackshear	7,521,985	6,874,412	Clinton	13,625,114	14,074,894
Claxton	6,475,293	6,552,733	Dunn	6,425,882	6,176,952
Douglas	10,746,322	10,759,030	Farmville	22,414,758	23,656,366
Fitzgerald	2,601,098	2,515,396	Fuquay-Varina	18,482,424	19,148,314
Hahira	3,094,642	3,130,828	Goldsboro	30,690,027	31,336,500
Hazlehurst	2,657,673	2,731,531	Greenville	34,808,756	35,845,997
Metter	1,480,396	1,167,260	Kinston	35,742,171	37,576,565
Moultrie	9,739,914	10,173,703	Robersonville	6,025,167	6,035,328
Nashville	8,819,164	9,063,754	Rocky Mount	26,333,782	26,236,345
Pelham	5,802,958	6,132,080	Sanford	8,758,357	8,647,340
Statesboro	2,639,601	2,578,812	Smithfield	22,836,487	23,536,000
Thomasville	1,928,376	1,727,646	Tarboro	2,506,686	2,446,416
Tifton	4,741,725	4,741,293	Wallace	10,197,303	10,408,183
Valdosta	5,890,435	5,924,787	Washington	3,147,006	3,057,193
Vidalia	8,412,545	9,948,509	Wendell	4,540,907	4,393,609
Waycross	1,080,034	1,012,172	Williamston	9,696,730	9,841,331
Total Georgia	91,418,323	93,166,271	Wilson	70,926,257	71,615,669
			Windsor	9,092,552	9,586,088
Total area C	353,103,657	361,403,090			
Marketing area D					
Florida:			North Carolina:		
High Springs	2,243,968	2,233,097	Durham	8,448,983	8,637,092
Jasper	961,627	759,964	Henderson	11,245,121	11,421,652
Lake City	4,474,075	4,694,656	Louisburg	6,983,288	7,220,541
Live Oak	9,994,820	9,803,827	Oxford	13,925,143	14,635,875
Madison	1,387,415	1,349,048	Warrenton	5,936,556	6,107,335
Total Florida	19,061,905	18,840,592	Total area D	46,539,091	48,022,495
Total area A	110,480,228	112,006,863			
Marketing area E					
Marketing area B			North Carolina:		
South Carolina:			Burl-Meb	8,415,473	8,491,866
Conway	8,320,649	8,417,241	Madison	4,103,823	4,269,276
Darlington	6,195,175	6,199,437	Mt. Airy	11,070,907	11,829,142
Hemingway	7,237,046	7,116,715	Reidsville	16,046,030	16,227,986
Kingstree	6,596,504	6,600,658	Roxboro	14,703,330	15,228,637
Lake City	28,308,305	29,416,076	Stoneville	8,443,970	8,931,860
Loris	6,397,908	6,608,118	Winston-Salem	38,578,913	39,589,776
Mullins	27,845,555	28,397,619	Yadkinville	3,246,400	2,910,377
Pamplico	3,835,677	3,814,217	Total N.C.	104,608,846	107,478,920
Timmonsville	6,587,718	6,695,308	Virginia:		
Total S.C.	101,324,537	103,265,389	Brookneal	5,088,023	5,085,430
North Carolina:			Chase City	5,821,468	5,761,727
Chadbourn	10,751,038	11,066,342	Clarksville	6,250,590	6,445,503
Clarkton	6,392,032	6,449,296	Danville	41,411,190	42,763,154
Fair Bluff	3,710,401	3,702,762	Kenbridge	3,336,735	3,633,419
Fairmont	28,814,141	28,764,144	Lawrenceville	5,208,061	6,421,381
Lumberton	14,466,311	15,007,111	Petersburg	2,479,103	3,028,621
Tabor City	11,440,299	11,555,832	South Boston	16,322,816	16,775,764
Whiteville	13,425,251	13,675,555	South Hill	6,983,297	7,398,877
Total N.C.	88,999,473	90,221,042	Total Virginia	92,901,283	97,313,876
Total area B	190,324,010	193,486,431	Total area E	197,510,129	204,792,796
			Total flue-cured	897,957,115	919,711,675

1/ Growers allowed to designate 110 percent of their effective quota.

Table 3.--Opening and closing dates, and number of warehouse firms by type, state, and market

Type 11 - Old and Middle Belt flue-cured

States and markets	1984				1983			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
Virginia:			<u>Number</u>	<u>Number</u>			<u>Number</u>	<u>Number</u>
Brookneal	Aug. 15	Nov. 31	16	4	Aug. 16	Nov. 10	21	4
Chase City	Aug. 15	Nov. 5	19	4	Aug. 15	Nov. 10 2/	22	4
Clarksville	Aug. 20	Nov. 5	19	3	Aug. 16	Nov. 9	23	3
Danville	Aug. 14	Nov. 1 1/	45	8	Aug. 15	Nov. 8 2/	48	8
Kenbridge	Aug. 16	Nov. 6	12	3	Aug. 16	Nov. 9	14	3
Lawrenceville	Aug. 15	Oct. 31	18	2	Aug. 16	Nov. 8	22	2
Petersburg	Aug. 16	Oct. 31	11	2	Aug. 17	Nov. 1	12	2
South Boston	Aug. 14	Nov. 5	44	7	Aug. 15	Nov. 8 2/	48	7
South Hill	Aug. 14	Nov. 1	21	4	Aug. 15	Nov. 1 2/	23	4
Total Virginia			37				37	
North Carolina:								
Aberdeen	Aug. 2	Oct. 16	17	2	Aug. 4	Oct. 19	21	2
Burl-Meb	Aug. 14	Oct. 31	26	3	Aug. 15	Oct. 31 2/	22	3
Carthage	Aug. 1	Oct. 15	17	4	Aug. 3	Oct. 20	23	4
Durham	Aug. 7	Oct. 25	29	3	Aug. 8	Oct. 27	38	4
Fuquay-Varina	Aug. 1	Oct. 16	42	5	Aug. 3	Oct. 19	43	5
Greensboro	Not operating in 1984				Aug. 24	Nov. 3	7	1
Henderson	Aug. 7	Oct. 30	38	6	Aug. 8	Oct. 31	41	6
Louisburg	Aug. 8	Oct. 30	22	3	Aug. 9	Nov. 2	24	3
Madison	Aug. 15	Oct. 31	17	3	Aug. 16	Nov. 7 2/	18	3
Mt. Airy	Aug. 14	Oct. 29	35	4	Aug. 15	Nov. 1 2/	43	4
Oxford	Aug. 7	Nov. 7	46	5	Aug. 8	Nov. 14	48	6
Reidsville	Aug. 14	Oct. 31	44	3	Aug. 15	Nov. 7	46	3
Roxboro	Aug. 14	Nov. 6	44	5	Aug. 15	Nov. 9	43	5
Sanford	Aug. 1	Oct. 16	22	4	Aug. 3	Oct. 20	36	4
Stoneville	Aug. 14	Nov. 1	28	2	Aug. 15	Nov. 7 2/	28	2
Warrenton	Aug. 9	Oct. 29	18	4	Aug. 10	Nov. 3	23	5
Winston-Salem	Aug. 14	Oct. 30 1/	43	9	Aug. 15	Nov. 8 2/	48	8
Yadkinville	Aug. 15	Oct. 30	11	3	Aug. 16	Nov. 9	17	3
Total N.C.			68				71	
Total type 11			105				108	

Type 12 - Eastern North Carolina flue-cured

North Carolina:	Type 12 - Eastern North Carolina flue-cured			
Ahoskie	Aug. 2	Oct. 24	21	2
Clinton	Aug. 1	Oct. 18	42	4
Dunn	Aug. 2	Oct. 17	21	3
Farmville	Aug. 1	Oct. 18	44	6
Goldsboro	Aug. 1	Oct. 22	45	8
Greenville	Aug. 1	Oct. 18	44	10
Kinston	Aug. 1	Oct. 17	43	8
Robersonville	Aug. 2	Oct. 16	19	2
Rocky Mount	Aug. 1	Oct. 23	46	7
Smithfield	Aug. 1	Oct. 17	42	5
Tarboro	Aug. 2	Oct. 11	10	2
Wallace	Aug. 1	Oct. 17	34	4
Washington	Aug. 7	Oct. 18	10	2
Wendell	Aug. 2	Oct. 16	14	3
Williamston	Aug. 1	Oct. 17	23	2
Wilson	Aug. 1	Oct. 23	45	12
Windsor	Aug. 1	Oct. 18	25	2
Total type 12			82	

Continued

See footnotes at end of table.

Table 3.--Opening and closing dates, and number of warehouse firms by type, state, and market--Continued

States and markets	Type 13 - South Carolina and Border North Carolina flue-cured				1984				1983			
	Opening dates	Closing dates	Sales days	Warehouse firms	1984		1983		Sales days	Warehouse firms		
					Number	Number	Number	Number				
South Carolina:												
Conway	July 31	Oct. 16	23	4	Aug.	2	Oct.	12	31	4		
Darlington	Aug. 1	Oct. 15	17	5	Aug.	3	Oct.	13	21	5		
Hemingway	July 31	Oct. 15	21	3	Aug.	2	Oct.	13	31	3		
Kingstree	Aug. 1	Oct. 9	17	4	Aug.	2	Oct.	13	24	4		
Lake City	July 31	Oct. 16	42	7	Aug.	2	Oct.	17	41	7		
Loris	Aug. 1	Oct. 15	19	3	Aug.	2	Oct.	13	22	3		
Mullins	July 31	Oct. 17	43	6	Aug.	2	Oct.	13	41	7		
Pamplico	Aug. 8	Oct. 11	11	3	Aug.	3	Oct.	6	18	3		
Timmonsville	July 31	Oct. 16	19	3	Aug.	2	Oct.	11	22	3		
Total S.C.				38						39		
North Carolina:												
Chadbourn	July 31	Oct. 17	30	5	Aug.	2	Oct.	13	38	5		
Clarkton	Aug. 6	Oct. 18	19	2	Aug.	2	Oct.	19	25	2		
Fair Bluff	Aug. 7	Oct. 9	11	4	Aug.	3	Oct.	12	20	3		
Fairmont	July 31	Oct. 18	44	13	Aug.	2	Oct.	19	42	12		
Lumberton	July 31	Oct. 17	43	6	Aug.	2	Oct.	19	42	6		
Tabor City	July 31	Oct. 17	32	3	Aug.	2	Oct.	13	40	3		
Whiteville	July 31	Oct. 16	37	8	Aug.	2	Oct.	17	42	9		
Total N.C.				41						40		
Total type 13				79						79		

Type 14 - Georgia and Florida flue-cured												
Georgia:	Opening dates	Closing dates	Sales days	Warehouse firms	1984		1983					
					Number	Number	Number	Number				
Adel	Aug. 6	Sep. 24	3	1	July 28	Sep. 14	7	2				
Alma	July 25	Sep. 25	16	2	July 27	Sep. 21	19	2				
Baxley	July 31	Sep. 24	5	1	July 28	Sep. 21	7	2				
Blackshear	July 25	Oct. 1	22	3	July 27	Sep. 27	26	3				
Claxton	July 25	Oct. 1	21	1	July 27	Sep. 28	25	1				
Douglas	July 25	Oct. 1	27	4	July 27	Sep. 29	32	4				
Fitzgerald	July 26	Sep. 27	10	1	July 28	Sep. 28	11	1				
Hahira	July 25	Sep. 18	11	1	July 27	Sep. 19	11	1				
Hazlehurst	July 25	Sep. 24	9	2	July 27	Sep. 28	12	2				
Metter	July 31	Sep. 12	5	1	July 28	Sep. 20	8	1				
Moultrie	July 25	Oct. 4	28	3	July 27	Sep. 26	30	3				
Nashville	July 25	Oct. 2	26	3	July 27	Sep. 27	26	3				
Pelham	July 25	Oct. 3	19	2	July 27	Sep. 27	20	2				
Statesboro	July 26	Sep. 27	9	2	July 27	Sep. 28	14	2				
Thomasville	July 26	Sep. 26	7	1	Aug. 1	Sep. 21	7	1				
Tifton	July 25	Sep. 24	13	3	July 27	Sep. 28	19	3				
Valdosta	July 25	Sep. 27	20	2	July 27	Sep. 15	21	2				
Vidalia	July 25	Oct. 2	25	2	July 27	Sep. 29	28	2				
Waycross	Aug. 2	Sep. 19	3	1	July 28	Sep. 20	6	1				
Total Georgia				36				38				
Florida:												
High Springs	July 26	Sep. 26	8	1	July 27	Aug. 30	8	1				
Jasper	Aug. 2	Aug. 25	2	1	Aug. 1	Sep. 7	4	1				
Lake City	July 25	Sep. 26	13	1	July 27	Sep. 14	18	1				
Live Oak	July 25	Sep. 25	25	2	July 27	Sep. 20	23	2				
Madison	July 31	Sep. 12	4	1	July 28	Sep. 14	6	1				
Total Florida				6				6				
Total type 14				42				44				
Total 11-14				308				316				

1/ 1984 clean-up sales: Danville, VA November 6. Winston-Salem, NC November 7.

2/ 1983 clean-up sales: Washington, NC and Windsor, NC October 25; Burl-Meb, NC November 7; South Hill, VA November 10; South Boston, VA November 14 and 15; Madison, NC and Stoneville, NC November 15; Danville, VA November 16 and 17; Mt. Airy, NC November 16; Chase City, VA and Winston-Salem, NC November 17.

Table 4.--Movement of tobacco across state lines 1/

State in which produced and crop year	Total sold out of State	Sold in:			
		Florida	Georgia	South Carolina	North Carolina
<u>1,000 pounds</u>					
1984 Crop					
Alabama	690		690		
Florida	2,877		2,877		
Georgia	2,654	2,654			
South Carolina	10,452		367		10,076
North Carolina	21,379			3,198	9
Virginia	5,885				5,885
Total	43,937	2,654	3,934	3,198	15,961
					18,190
1983 Crop					
Alabama	621		621		
Florida	2,681		2,681		
Georgia	2,750	2,658		12	80
South Carolina	12,046		762		11,278
North Carolina	18,280			3,448	6
Virginia	4,992				4,992
Total	41,370	2,658	4,064	3,460	16,350
					14,838

1/ Based on report of Agricultural Stabilization and Conservation Service, USDA.

Table 5.--Producers' sales, value, and average price by types, 1979-84 crops 1/

Type 11 - Old and Middle Belt			Type 12 Eastern North Carolina				
Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1979	297,253,267	415,924,990	139.92	1979	319,873,433	445,310,458	139.21
1980	301,619,475	431,458,289	143.05	1980	424,336,839	626,791,057	147.71
1981	387,156,360	633,885,313	163.73	1981	367,509,749	625,370,225	170.16
1982	293,017,973	522,488,036	178.31	1982	359,483,566	648,029,733	180.27
1983	240,713,322	410,969,798	170.73	1983	271,722,424	493,636,695	181.67
1984	269,234,461	486,320,092	180.63	1984	294,025,444	532,256,203	181.02
Type 13 - South Carolina and Border North Carolina			Type 14 - Georgia and Florida				
Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1979	200,820,411	284,338,463	141.59	1979	124,973,269	174,685,006	139.78
1980	224,670,253	321,143,472	142.94	1980	132,066,156	185,319,068	140.32
1981	243,371,937	405,796,625	166.74	1981	143,762,511	234,878,993	163.38
1982	208,056,923	364,960,045	175.41	1982	126,308,316	226,452,919	179.29
1983	187,573,487	339,538,393	181.02	1983	114,688,597	204,525,226	178.33
1984	178,784,939	323,912,974	181.17	1984	103,520,376	188,610,755	182.20

Types 11-14 - Total flue-cured

Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1979	942,920,380	1,320,258,917	140.02	1982	986,866,778	1,761,930,733	178.54
1980	1,082,692,723	1,564,711,886	144.52	1983 2/	814,697,830	1,448,670,112	177.82
1981	1,141,800,557	1,899,931,156	166.40	1984	845,565,220	1,531,100,024	181.07

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

2/ Does not reflect 37.2 million pounds of 1982 carryover tobacco offered for sale by the Stabilization Corporation in July, 1983.

Table 6.--Gross sales, value, and average price; resales, average price, and percentage of gross sales by types, 1979-84 crops 1/

Type 11 - Old and Middle Belt				Resales		
Crop	Gross		Average	Resales	Average	Percentage of
	Sales	Value	price	Pounds	price	gross sales
	Pounds	Dollars	Dollars	Pounds	Dollars	Percent
1979	318,902,173	446,535,573	140.02	21,648,906	141.40	6.8
1980	321,633,104	460,671,796	143.23	20,013,629	145.97	6.2
1981	412,798,710	675,930,013	163.74	25,642,350	163.97	6.2
1982	311,789,587	556,058,489	178.34	18,771,614	178.84	6.0
1983	259,889,183	443,774,090	170.76	19,175,861	171.07	7.4
1984	289,023,442	521,165,857	180.32	19,788,981	176.09	6.9

Type 12 - Eastern North Carolina					
1979	343,039,128	477,461,168	139.19	23,165,695	138.79
1980	455,737,405	672,390,516	147.54	31,400,566	145.22
1981	396,954,540	674,475,826	169.91	29,444,791	166.77
1982	384,038,067	691,188,012	179.98	24,554,501	175.77
1983	294,576,047	534,604,809	181.48	22,853,623	179.26
1984	320,040,809	578,509,121	180.76	26,015,365	177.79

Type 13 - South Carolina and Border North Carolina					
1979	219,417,784	310,800,468	141.65	18,597,373	142.29
1980	244,799,301	350,784,795	143.29	20,129,048	147.26
1981	266,180,894	444,251,749	166.90	22,808,957	168.60
1982	226,442,972	397,140,954	175.38	18,386,049	175.03
1983	207,437,538	375,536,577	181.04	19,864,051	181.22
1984	197,207,270	357,327,487	181.19	18,422,331	181.38

Type 14 - Georgia and Florida					
1979	137,626,923	192,409,431	139.81	12,653,654	140.07
1980	144,316,545	202,817,565	140.54	12,250,389	142.84
1981	158,180,639	258,751,225	163.58	14,418,128	165.57
1982	139,147,625	249,843,137	179.55	12,839,309	182.18
1983	126,933,641	226,615,315	178.53	12,245,044	180.40
1984	117,643,361	214,031,667	181.93	14,122,985	180.00

Types 11-14 Total flue-cured					
1979	1,018,986,008	1,427,206,640	140.06	76,065,628	140.60
1980	1,166,486,355	1,686,664,672	144.59	83,793,632	145.54
1981	1,234,114,783	2,053,408,813	166.39	92,314,226	166.26
1982	1,061,418,251	1,894,230,592	178.46	74,551,473	177.46
1983	888,836,409	1,580,530,791	177.82	74,138,579	177.86
1984	923,914,882	1,671,034,132	180.86	78,349,662	178.60

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

2/ Does not reflect 37.2 million pounds of 1982 carryover tobacco offered for sale by the Stabilization Corporation in July, 1983.

Table 7.--Producers' sales, value, and average price by type, state, and market 1/

Market and State	Type 11 - Old and Middle Belt flue-cured			1983 crop		
	1984 crop		Average price	1983 crop		Average price
	Sales Pounds	Value Dollars	Dollars	Sales Pounds	Value Dollars	Dollars
Virginia:						
Brookneal	4,872,342	8,669,362	177.93	5,241,292	8,815,853	168.20
Chase City	5,494,246	9,966,881	181.41	4,721,007	7,926,099	167.89
Clarksville	6,115,870	11,183,111	182.85	4,950,206	8,410,895	169.91
Danville	40,679,743	74,441,114	182.99	33,700,758	58,207,949	172.72
Kenbridge	3,393,016	6,166,882	181.75	2,795,657	4,748,983	169.87
Lawrenceville	6,106,421	11,079,456	181.44	5,360,001	9,302,818	173.56
Petersburg	2,843,218	5,130,692	180.45	2,830,219	4,803,165	169.71
South Boston	16,197,253	29,135,182	179.88	12,561,045	21,071,153	167.75
South Hill	7,154,569	13,110,710	183.25	6,533,178	11,342,904	173.62
Total Virginia	92,856,678	168,883,390	181.88	78,693,363	134,629,819	171.08
North Carolina:						
Aberdeen	4,520,333	8,003,494	177.06	4,276,640	7,274,287	170.09
Burl-Meb	7,807,208	14,050,728	179.97	5,917,423	10,211,428	172.57
Carthage	4,700,593	8,355,433	177.75	5,181,714	9,043,731	174.53
Durham	7,992,305	14,258,202	178.40	8,470,242	14,245,516	168.18
Fuquay-Varina	17,660,941	31,891,898	180.58	16,135,429	28,462,759	176.40
Greensboro	No sales in 1984			984,439	1,630,415	165.62
Henderson	10,752,552	19,679,082	183.02	9,872,964	16,594,923	168.08
Louisburg	6,822,040	12,652,940	185.47	6,879,156	11,885,434	172.77
Madison	3,807,672	6,789,004	178.30	3,452,046	5,861,728	169.80
Mt. Airy	10,455,686	18,392,118	175.91	10,423,757	17,790,589	170.67
Oxford	13,823,818	24,893,086	180.07	10,724,900	17,638,767	164.47
Reidsville	15,207,629	27,542,619	181.11	13,610,461	23,349,559	171.56
Roxboro	14,497,367	26,590,401	183.42	10,804,607	18,235,944	168.78
Sanford	7,817,229	13,553,019	173.37	9,216,885	16,073,775	174.39
Stoneville	8,035,302	14,577,222	181.41	6,710,114	11,515,515	171.61
Warrenton	5,720,422	10,333,588	180.64	5,417,143	8,889,966	164.11
Winston-Salem	34,288,304	61,694,596	179.93	30,620,136	52,304,924	170.82
Yadkinville	2,468,382	4,179,272	169.31	3,321,903	5,330,719	160.47
Total N.C.	176,377,783	317,436,702	179.98	162,019,959	276,339,979	170.56
Total type 11	269,234,461	486,320,092	180.63	240,713,322	410,969,798	170.73

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	6,559,454	11,304,014	172.33	5,183,151	8,710,870	168.06
Clinton	12,834,774	23,294,769	181.50	12,171,881	21,674,599	178.07
Dunn	5,652,657	9,962,268	176.24	8,669,318	15,065,708	173.78
Farmville	21,719,952	39,491,475	181.82	20,460,920	37,760,953	184.55
Goldsboro	29,130,110	53,085,967	182.24	25,732,536	47,167,446	183.30
Greenville	32,680,271	59,125,041	180.92	30,195,681	56,006,359	185.48
Kinston	35,518,610	64,691,664	182.13	29,684,805	54,176,645	182.51
Robersonville	5,124,918	9,332,505	182.10	5,100,864	9,349,239	183.29
Rocky Mount	23,972,563	42,987,100	179.32	22,597,257	39,877,764	176.47
Smithfield	21,274,751	38,524,587	181.08	18,039,946	32,461,539	179.94
Tarboro	2,197,986	3,846,216	174.99	2,554,256	4,349,679	170.29
Wallace	9,542,533	16,951,985	177.65	8,382,678	15,244,826	181.86
Washington	2,548,641	4,536,539	178.00	2,442,797	4,441,837	181.83
Wendell	4,014,953	7,254,738	180.69	5,274,787	9,284,507	176.02
Williamston	8,406,510	15,213,879	180.98	7,455,050	13,798,934	185.10
Wilson	64,416,684	117,799,544	182.87	60,936,710	112,077,441	183.92
Windsor	8,430,077	14,853,912	176.20	6,839,787	12,188,349	178.20
Total type 12	294,025,444	532,256,203	181.02	271,722,424	493,636,695	181.67

Continued

See footnotes at end of table.

Table 7.--Producers' sales, value, and average price by type, state, and market 1/--Continued

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1984 crop			1983 crop			Average price
	Sales	Value	Average price	Sales	Value	Average price	
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars	
South Carolina:							
Conway	7,746,668	14,096,169	181.96	8,448,966	15,483,824	183.26	
Darlington	5,950,852	10,570,135	177.62	5,201,127	9,103,693	175.03	
Hemingway	6,698,689	12,321,483	183.94	7,822,640	14,353,308	183.48	
Kingstree	5,786,179	10,281,173	177.69	6,868,212	12,125,421	176.54	
Lake City	27,185,187	48,937,716	180.02	28,018,374	50,466,073	180.12	
Loris	6,076,706	11,048,717	181.82	6,751,709	12,168,841	180.23	
Mullins	27,396,998	50,573,129	184.59	30,912,344	56,710,867	183.46	
Pamplico	3,462,142	6,186,344	178.69	3,443,423	6,166,080	179.07	
Timmonsville	6,332,908	11,196,303	176.80	5,768,514	10,146,155	175.89	
Total S.C.	96,636,329	175,211,169	181.31	103,235,309	186,724,262	180.87	
North Carolina:							
Chadbourn	9,747,715	17,615,770	180.72	10,440,260	19,167,690	183.59	
Clarkton	5,784,107	10,449,864	180.67	6,149,138	10,978,567	178.54	
Fair Bluff	3,466,175	6,439,763	185.79	4,179,483	7,662,254	183.33	
Fairmont	26,805,656	48,561,973	181.16	26,504,733	48,181,816	181.79	
Lumberton	13,766,657	24,627,408	178.89	12,511,926	21,935,191	175.31	
Tabor City	10,420,919	18,836,725	180.76	11,390,200	20,727,778	181.98	
Whiteville	12,157,381	22,170,302	182.36	13,162,438	24,160,835	183.56	
Total N.C.	82,148,610	148,701,805	181.02	84,338,178	152,814,131	181.19	
Total type 13	178,784,939	323,912,974	181.17	187,573,487	339,538,393	181.02	

Type 14 - Georgia and Florida flue-cured

Georgia:							
Adel	629,913	1,147,003	182.09	1,919,333	3,241,195	168.87	
Alma	5,484,808	10,344,507	188.60	5,672,754	10,478,979	184.72	
Baxley	1,487,724	2,631,073	176.85	1,909,859	3,415,289	178.82	
Blackshear	6,643,851	12,330,023	185.59	8,368,480	15,634,300	186.82	
Claxton	6,001,820	10,642,982	177.33	6,319,353	10,927,232	172.92	
Douglas	10,237,224	19,494,988	190.43	12,012,627	22,325,979	185.85	
Fitzgerald	2,241,015	4,036,264	180.11	2,994,724	5,505,880	183.85	
Hahira	2,974,062	5,497,617	184.85	3,223,852	5,863,688	181.88	
Hazlehurst	2,452,354	4,399,483	179.40	2,899,010	5,259,645	181.43	
Metter	1,008,677	1,763,970	174.88	1,620,890	2,837,730	175.07	
Moultrie	9,684,210	17,516,498	180.88	9,310,537	16,587,983	178.16	
Nashville	8,579,936	15,677,596	182.72	9,039,621	16,474,971	182.25	
Pelham	5,846,612	10,570,323	180.79	5,222,261	9,305,969	178.20	
Statesboro	2,386,148	4,132,098	173.17	3,491,832	5,843,352	167.34	
Thomasville	1,573,652	2,753,543	174.98	1,746,743	3,065,340	175.49	
Tifton	4,372,940	7,754,689	177.33	5,654,223	9,675,558	171.12	
Valdosta	5,519,367	9,721,518	176.13	5,947,239	10,138,127	170.47	
Vidalia	8,248,538	14,978,744	181.59	8,321,954	15,017,943	180.46	
Waycross	903,304	1,683,566	186.38	1,668,776	3,220,715	193.00	
Total Georgia	86,276,155	157,076,485	182.06	97,344,068	174,819,875	179.59	
Florida:							
High Springs	1,857,121	3,286,616	176.97	2,079,322	3,398,926	163.46	
Jasper	746,035	1,337,067	179.22	1,060,518	1,855,162	174.93	
Lake City	4,362,730	7,913,123	181.38	4,689,182	8,024,537	171.13	
Live Oak	9,055,198	16,756,982	185.05	8,019,935	13,943,465	173.86	
Madison	1,223,137	2,240,482	183.18	1,495,572	2,483,261	166.04	
Total Florida	17,244,221	31,534,270	182.87	17,344,529	29,705,351	171.27	
Total type 14	103,520,376	188,610,755	182.20	114,688,597	204,525,226	178.33	
Total types 11-14	845,565,220	1,531,100,024	181.07	814,697,830	1,448,670,112 2/	177.82	

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

2/ Does not reflect 37.2 million pounds of 1982 carryover tobacco offered for sales by the Stabilization Corporation in July 1983.

Table 8.--Gross sales, value, and average price by type, state, and market 1/

Market and State	Type 11 - Old and Middle Belt flue-cured			1983 crop		
	1984 crop		Average price	1983 crop		Average price
	Sales Pounds	Value Dollars	Dollars	Sales Pounds	Value Dollars	Dollars
Virginia:						
Brookneal	5,096,138	9,042,289	177.43	5,438,132	9,131,167	167.91
Chase City	5,905,668	10,608,180	179.63	5,149,889	8,574,050	166.49
Clarksville	6,388,368	11,691,171	183.01	5,118,700	8,684,898	169.67
Danville	43,055,140	78,663,549	182.70	35,481,973	61,245,434	172.61
Kenbridge	3,580,574	6,475,334	180.85	3,023,454	5,105,102	168.85
Lawrenceville	6,215,353	11,267,006	181.28	5,491,414	9,516,620	173.30
Petersburg	2,923,216	5,263,790	180.07	3,082,749	5,202,139	168.75
South Boston	16,951,626	30,424,159	179.48	13,230,575	22,165,182	167.53
South Hill	7,320,483	13,394,503	182.97	6,698,119	11,617,887	173.45
Total Virginia	97,436,566	176,829,981	181.48	82,715,005	141,242,479	170.76
North Carolina:						
Aberdeen	4,914,454	8,685,915	176.74	4,631,498	7,855,873	169.62
Burl-Meb	8,233,518	14,804,431	179.81	6,159,641	10,621,913	172.44
Carthage	5,108,228	9,058,994	177.34	5,610,954	9,781,738	174.33
Durham	8,808,032	15,673,134	177.94	9,202,593	15,499,226	168.42
Fuquay-Varina	18,735,912	33,815,162	180.48	17,321,798	30,611,130	176.72
Greensboro	No sales in 1984			1,046,118	1,734,036	165.76
Henderson	11,182,007	20,455,146	182.93	10,335,895	17,411,642	168.46
Louisburg	7,338,490	13,570,630	184.92	7,367,713	12,730,569	172.79
Madison	4,126,409	7,349,126	178.10	3,800,965	6,467,973	170.17
Mt. Airy	11,922,694	20,939,836	175.63	12,026,429	20,584,105	171.16
Oxford	14,565,435	26,148,516	179.52	11,353,101	18,616,252	163.98
Reidsville	15,895,531	28,774,354	181.02	14,221,612	24,425,379	171.75
Roxboro	15,370,733	28,110,184	182.88	11,564,365	19,467,023	168.34
Sanford	8,401,380	14,549,950	173.19	9,673,868	16,888,162	174.58
Stoneville	8,992,383	16,367,250	182.01	7,737,590	13,367,538	172.76
Warrenton	6,049,281	10,916,553	180.46	5,785,725	9,507,924	164.33
Winston-Salem	39,263,444	70,595,246	179.80	35,818,041	61,346,536	171.27
Yadkinville	2,678,945	4,521,449	168.78	3,516,272	5,614,592	159.67
Total N.C.	191,586,876	344,335,876	179.73	177,174,178	302,531,611	170.75
Total type 11	289,023,442	521,165,857	180.32	259,889,183	443,774,090	170.76

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	7,110,452	12,257,149	172.38	5,705,346	9,604,981	168.35
Clinton	13,737,627	24,922,997	181.42	13,188,383	23,494,888	178.15
Dunn	6,230,827	10,960,733	175.91	9,652,985	16,761,155	173.64
Farmville	23,958,706	43,517,174	181.63	22,092,582	40,750,912	184.46
Goldsboro	32,962,557	60,063,994	182.22	29,183,623	53,521,202	183.39
Greenville	34,907,439	63,079,654	180.71	31,997,131	59,237,733	185.13
Kinston	38,672,792	70,262,753	181.69	32,041,441	58,437,940	182.38
Robersonville	5,689,097	10,304,470	181.13	5,642,335	10,255,199	181.75
Rocky Mount	25,370,516	45,436,729	179.09	24,304,038	42,843,694	176.28
Smithfield	23,701,740	42,775,613	180.47	19,859,881	35,735,710	179.94
Tarboro	2,452,641	4,279,748	174.50	2,707,133	4,607,722	170.21
Wallace	9,865,368	17,499,055	177.38	8,651,268	15,711,532	181.61
Washington	2,795,159	4,964,169	177.60	2,705,010	4,921,183	181.93
Wendell	4,171,695	7,532,589	180.56	5,446,878	9,580,400	175.89
Williamston	8,802,987	15,904,830	180.68	7,664,161	14,146,340	184.58
Wilson	70,400,848	128,544,615	182.59	66,406,976	121,985,977	183.69
Windsor	9,210,358	16,202,849	175.92	7,326,876	13,008,241	177.54
Total type 12	320,040,809	578,509,121	180.76	294,576,047	534,604,809	181.48

Continued

See footnotes at end of table.

Table 8.--Gross sales, value, and average price by type, state, and market 1/—Continued

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1984 crop			1983 crop		
	Sales	Value	Average price	Sales	Value	Average price
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
South Carolina:						
Conway	8,435,059	15,362,651	182.13	9,361,826	17,171,488	183.42
Darlington	6,431,580	11,424,557	177.63	5,750,490	10,069,373	175.10
Hemingway	7,386,006	13,615,234	184.34	8,565,461	15,747,868	183.85
Kingstree	6,322,687	11,226,931	177.57	7,559,527	13,353,157	176.64
Lake City	30,640,426	55,153,516	180.00	31,382,992	56,465,184	179.92
Loris	6,680,676	12,157,303	181.98	7,313,307	13,181,625	180.24
Mullins	30,485,002	56,263,628	184.56	34,570,447	63,415,727	183.44
Pamplico	3,601,330	6,429,247	178.52	3,594,240	6,444,399	179.30
Timmonsville	7,128,489	12,621,306	177.05	6,511,297	11,481,269	176.33
Total S.C.	107,111,255	194,254,373	181.36	114,609,587	207,330,090	180.90
North Carolina:						
Chadbourn	10,870,148	19,589,521	180.21	11,780,097	21,632,868	183.64
Clarkton	6,312,064	11,432,328	181.12	6,692,759	11,984,014	179.06
Fair Bluff	3,865,629	7,190,469	186.01	4,574,787	8,376,839	183.11
Fairmont	29,480,006	53,382,235	181.08	29,293,541	53,225,059	181.70
Lumberton	14,824,140	26,514,559	178.86	13,237,095	23,224,483	175.45
Tabor City	11,474,522	20,760,073	180.92	12,700,447	23,122,452	182.06
Whiteville	13,269,506	24,203,929	182.40	14,549,225	26,640,772	183.11
Total N.C.	90,096,015	163,073,114	181.00	92,827,951	168,206,487	181.20
Total type 13	197,207,270	357,327,487	181.19	207,437,538	375,536,577	181.04

Type 14 - Georgia and Florida flue-cured

Georgia:	1984 crop			1983 crop		
	Sales	Value	Average price	Sales	Value	Average price
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Adel	654,322	1,188,466	181.63	2,062,401	3,482,731	168.87
Alma	6,033,320	11,356,608	188.23	6,075,399	11,217,239	184.63
Baxley	1,663,188	2,939,981	176.77	2,060,562	3,683,280	178.75
Blackshear	7,494,258	13,888,772	185.33	9,145,889	17,132,432	187.32
Claxton	6,868,491	12,144,930	176.82	7,093,754	12,264,619	172.89
Douglas	11,750,314	22,442,663	191.00	13,377,592	24,930,365	186.36
Fitzgerald	2,488,272	4,486,139	180.29	3,279,173	6,018,093	183.52
Hahira	3,236,755	5,975,545	184.62	3,405,491	6,174,143	181.30
Hazlehurst	2,773,471	4,974,385	179.36	3,154,620	5,727,462	181.56
Metter	1,022,078	1,785,521	174.70	1,646,144	2,878,435	174.86
Moultrie	11,599,683	20,910,509	180.27	10,504,541	18,754,421	178.54
Nashville	9,687,762	17,662,218	182.31	9,971,965	18,190,364	182.42
Pelham	6,986,515	12,546,796	179.59	6,062,532	10,803,272	178.20
Statesboro	2,677,439	4,634,952	173.11	3,923,009	6,581,357	167.76
Thomasville	1,791,256	3,155,310	176.15	1,929,697	3,404,503	176.43
Tifton	5,119,784	9,051,741	176.80	6,425,314	11,026,206	171.61
Valdosta	6,223,585	10,939,065	175.77	6,507,119	11,088,604	170.41
Vidalia	9,336,545	16,905,420	181.07	9,498,262	17,100,733	180.04
Waycross	949,689	1,771,235	186.51	1,724,178	3,334,289	193.38
Total Georgia	98,356,727	178,760,256	181.75	107,847,642	193,792,548	179.69
Florida:						
High Springs	2,010,967	3,541,057	176.09	2,173,932	3,557,173	163.63
Jasper	775,928	1,390,886	179.25	1,099,203	1,920,296	174.70
Lake City	4,794,999	8,640,912	180.21	5,165,934	8,826,059	170.85
Live Oak	10,336,288	19,197,908	185.73	9,031,132	15,818,754	175.16
Madison	1,368,452	2,500,648	182.74	1,615,798	2,700,485	167.13
Total Florida	19,286,634	35,271,411	182.88	19,085,999	32,822,767	171.97
Total type 14	117,643,361	214,031,667	181.93	126,933,641	226,615,315	178.53
Total types 11-14	923,914,882	1,671,034,132	180.86	888,836,409	1,580,530,791	177.82

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

2/ Does not reflect 37.2 million pounds of 1982 carryover tobacco offered for sale by the Stabilization Corporation in July, 1983.

Table 9.--Resales, average price, and percentage of gross sales by type, state, and market 1/

Market and State	Type 11 - Old and Middle Belt flue-cured			1983 crop		
	1984 crop		Percent of gross Percent	1983 crop		Percent of gross Percent
	Resales Pounds	Average price Dollars		Resales Pounds	Average price Dollars	
Virginia:						
Brookneal	223,796	166.64	4.4	196,840	160.19	3.6
Chase City	411,422	155.87	7.0	428,882	151.08	8.3
Clarksville	272,498	186.45	4.3	168,494	162.62	3.3
Danville	2,375,397	177.76	5.5	1,781,215	170.53	5.0
Kenbridge	187,558	164.46	5.2	227,797	156.33	7.5
Lawrenceville	108,932	172.17	1.8	131,413	162.69	2.4
Petersburg	79,998	166.38	2.7	252,530	157.99	8.2
South Boston	754,373	170.87	4.5	669,530	163.40	5.1
South Hill	165,914	171.05	2.3	164,941	166.72	2.5
Total Virginia	4,579,888	173.51	4.7	4,021,642	164.43	4.9
North Carolina:						
Aberdeen	394,121	173.15	8.0	354,858	163.89	7.7
Burl-Meb	426,310	176.80	5.2	242,218	169.47	3.9
Carthage	407,635	172.60	8.0	429,240	171.93	7.7
Durham	815,727	173.46	9.3	732,351	171.19	8.0
Fuquay-Varina	1,074,971	178.91	5.7	1,186,369	181.09	6.9
Greensboro	No sales in 1984			61,679	168.00	5.9
Henderson	429,455	180.71	3.8	462,931	176.42	4.5
Louisburg	516,450	177.69	7.0	488,557	172.99	6.6
Madison	318,737	175.73	7.7	348,919	173.75	9.2
Mt. Airy	1,467,008	173.67	12.3	1,602,672	174.30	13.3
Oxford	741,617	169.28	5.1	628,201	155.60	5.5
Reidsville	687,902	179.06	4.3	611,151	176.03	4.3
Roxboro	873,366	174.01	5.7	759,758	162.04	6.6
Sanford	584,151	170.66	7.0	456,983	178.21	4.7
Stoneville	957,081	187.03	10.6	1,027,476	180.25	13.3
Warrenton	328,859	177.27	5.4	368,582	167.66	6.4
Winston-Salem	4,975,140	178.90	12.7	5,197,905	173.95	14.5
Yadkinville	210,563	162.51	7.9	194,369	146.05	5.5
Total N.C.	15,209,093	176.86	7.9	15,154,219	172.83	8.6
Total type 11	19,788,981	176.09	6.9	19,175,861	171.07	7.4

Type 12 - Eastern North Carolina flue-cured					
North Carolina:					
Ahoskie	550,998	172.98	7.8	522,195	171.22
Clinton	902,853	180.34	6.6	1,016,502	179.07
Dunn	578,170	172.69	9.3	983,667	172.36
Farmville	2,238,754	179.82	9.3	1,631,662	183.25
Goldsboro	3,832,447	182.08	11.6	3,451,087	184.11
Greenville	2,227,168	177.56	6.4	1,801,450	179.38
Kinston	3,154,182	176.63	8.2	2,356,636	180.82
Robersonville	564,179	172.28	9.9	541,471	167.31
Rocky Mount	1,397,953	175.23	5.5	1,706,781	173.77
Smithfield	2,426,989	175.16	10.2	1,819,935	179.91
Tarboro	254,655	170.24	10.4	152,877	168.79
Wallace	322,835	169.46	3.3	268,590	173.76
Washington	246,518	173.47	8.8	262,213	182.81
Wendell	156,742	177.27	3.8	172,091	171.94
Williamston	396,477	174.27	4.5	209,111	166.13
Wilson	5,984,164	179.56	8.5	5,470,266	181.13
Windsor	780,281	172.88	8.5	487,089	168.32
Total type 12	26,015,365	177.79	8.1	22,853,623	179.26

Continued

See footnotes at end of table.

Table 9.--Resales, average price, and percentage of gross sales by type, state, and market 1/—Continued

Type 13 - South Carolina and Border North Carolina flue-cured						
Market and State	1984 crop			1983 crop		
	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
	Pounds	Dollars	Percent	Pounds	Dollars	Percent
South Carolina:						
Conway	688,391	183.98	8.2	912,860	184.88	9.8
Darlington	480,728	177.74	7.5	549,363	175.78	9.6
Hemingway	687,317	188.23	9.3	742,821	187.74	8.7
Kingstree	536,508	176.28	8.5	691,315	177.59	9.1
Lake City	3,455,239	179.89	11.3	3,364,618	178.30	10.7
Loris	603,970	183.55	9.0	561,598	180.34	7.7
Mullins	3,088,004	184.28	10.1	3,658,103	183.29	10.6
Pamplico	139,188	174.51	3.9	150,817	184.54	4.2
Timmonsville	795,581	179.11	11.2	742,783	179.74	11.4
Total S.C.	10,474,926	181.80	9.8	11,374,278	181.16	9.9
North Carolina:						
Chadbourn	1,122,433	175.85	10.3	1,339,837	183.99	11.4
Clarkton	527,957	186.09	8.4	543,621	184.95	8.1
Fair Bluff	399,454	187.93	10.3	395,304	180.77	8.6
Fairmont	2,674,350	180.24	9.1	2,788,808	180.84	9.5
Lumberton	1,057,483	178.46	7.1	725,169	177.79	5.5
Tabor City	1,053,603	182.55	9.2	1,310,247	182.77	10.3
Whiteville	1,112,125	182.86	8.4	1,386,787	178.83	9.5
Total N.C.	7,947,405	180.83	8.8	8,489,773	181.30	9.1
Total type 13	18,422,331	181.38	9.3	19,864,051	181.22	9.6
Type 14 - Georgia and Florida flue-cured						
Georgia:						
Adel	24,409	169.87	3.7	143,068	168.83	6.9
Alma	548,512	184.52	9.1	402,645	183.35	6.6
Baxley	175,464	176.05	10.6	150,703	177.83	7.3
Blackshear	850,407	183.29	11.4	777,409	192.71	8.5
Claxton	866,671	173.30	12.6	774,401	172.70	10.9
Douglas	1,513,090	194.81	12.9	1,364,965	190.80	10.2
Fitzgerald	247,257	181.95	9.9	284,449	180.07	8.7
Hahira	262,693	181.93	8.1	181,639	170.92	5.3
Hazlehurst	321,117	179.03	11.6	255,610	183.02	8.1
Metter	13,401	160.82	1.3	25,254	161.18	1.5
Moultrie	1,915,473	177.19	16.5	1,194,004	181.44	11.4
Nashville	1,107,826	179.15	11.4	932,344	183.99	9.4
Pelham	1,139,903	173.39	16.3	840,271	178.19	13.9
Statesboro	291,291	172.63	10.9	431,177	171.16	11.0
Thomasville	217,604	184.63	12.2	182,954	185.38	9.5
Tifton	746,844	173.67	14.6	771,091	175.16	12.0
Valdosta	704,218	172.89	11.3	559,880	169.76	8.6
Vidalia	1,088,007	177.08	11.7	1,176,308	177.06	12.4
Waycross	46,385	189.00	4.9	55,402	205.00	3.2
Total Georgia	12,080,572	179.49	12.3	10,503,574	180.63	9.7
Florida:						
High Springs	153,846	165.39	7.7	94,610	167.26	4.4
Jasper	29,893	180.04	3.9	38,685	168.37	3.5
Lake City	432,269	168.36	9.0	476,752	168.12	9.2
Live Oak	1,281,090	190.54	12.4	1,011,197	185.45	11.2
Madison	145,315	179.04	10.6	120,226	180.68	7.4
Total Florida	2,042,413	182.98	10.6	1,741,470	179.01	9.1
Total type 14	14,122,985	180.00	12.0	12,245,044	180.40	9.7
Total types 11-14	78,349,662	178.60	8.5	74,138,579 2/	177.86	8.3

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

2/ Does not reflect 37.2 million pounds of 1982 carryover tobacco offered for sale by the Stabilization Corporation in July, 1983.

Table 10.--Rank of markets by volume of producers' sales, by separate types and by all types, 1984 crop 1/

Type, market, and State	Sales	Rank by:		Type, market, and State	Sales	Rank by:	
		Separate types	All types			Separate types	All types
	Mil. lb.				Mil. lb.		
<u>Type 11</u>							
Danville, Va.	40.7	1	2	Mullins, S.C.	27.4	1	7
Winston-Salem, N.C.	34.3	2	4	Lake City, S.C.	27.2	2	8
Fuquay-Varina, N.C.	17.7	3	13	Fairmont, N.C.	26.8	3	9
South Boston, Va.	16.2	4	14	Lumberton, N.C.	13.8	4	18
Reidsville, N.C.	15.2	5	15	Whiteville, N.C.	12.2	5	20
Roxboro, N.C.	14.5	6	16	Tabor City, S.C.	10.4	6	23
Oxford, N.C.	13.8	7	17	Chadbourn, N.C.	9.7	7	25
Henderson, N.C.	10.8	8	21	Conway, S.C.	7.7	8	37
Mt. Airy, N.C.	10.5	9	22	Hemingway, S.C.	6.7	9	40
Stoneville, N.C.	8.0	10	33	Timmonsville, S.C.	6.3	10	43
Durham, N.C.	8.0	11	34	Loris, S.C.	6.1	11	46
Sanford, N.C.	7.8	12	35	Darlington, S.C.	6.0	12	48
Burl-Meb., N.C.	7.8	13	36	Kingstree, S.C.	5.8	13	50
South Hill, Va.	7.2	14	38	Clarkton, N.C.	5.8	14	51
Louisburg, N.C.	6.8	15	39	Fair Bluff, N.C.	3.5	15	65
Clarksville, Va.	6.1	16	44	Pamlico, S.C.	3.5	16	66
Lawrenceville, Va.	6.1	17	45				
Warrenton, N.C.	5.7	18	52				
Chase City, Va.	5.5	19	55				
Brookneal, Va.	4.9	20	58				
Carthage, N.C.	4.7	21	59				
Aberdeen, N.C.	4.5	22	60				
Madison, N.C.	3.8	23	64				
Kenbridge, Va.	3.4	24	67				
Petersburg, Va.	2.8	25	69				
Yadkinville, N.C.	2.5	26	71				
<u>Type 12</u>							
Wilson, N.C.	64.4	1	1	Douglas, Ga.	10.2	1	24
Kinston, N.C.	35.5	2	3	Moultrie, Ga.	9.7	2	26
Greenville, N.C.	32.7	3	5	Live Oak, Fla.	9.1	3	28
Goldsboro, N.C.	29.1	4	6	Nashville, Ga.	8.6	4	29
Rocky Mount, N.C.	24.0	5	10	Vidalia, Ga.	8.2	5	32
Farmville, N.C.	21.7	6	11	Blackshear, Ga.	6.6	6	41
Smithfield, N.C.	21.3	7	12	Claxton, Ga.	6.0	7	47
Clinton, N.C.	12.8	8	19	Pelham, Ga.	5.8	8	49
Wallace, N.C.	9.5	9	27	Valdosta, Ga.	5.5	9	54
Windsor, N.C.	8.4	10	30	Alma, Ga.	5.5	10	56
Williamston, N.C.	8.4	11	31	Tifton, Ga.	4.4	11	61
Ahoskie, N.C.	6.6	12	42	Lake City, Fla.	4.4	12	62
Dunn, N.C.	5.7	13	53	Hahira, Ga.	3.0	13	68
Robersonville, N.C.	5.1	14	57	Hazlehurst, Ga.	2.5	14	72
Wendell, N.C.	4.0	15	63	Statesboro, Ga.	2.4	15	73
Washington, N.C.	2.5	16	70	Fitzgerald, Ga.	2.2	16	74
Tarboro, N.C.	2.2	17	75	High Springs, Fla.	1.9	17	76
				Thomasville, Ga.	1.6	18	77
				Baxley, Ga.	1.5	19	78
				Madison, Fla.	1.2	20	79
				Metter, Ga.	1.0	21	80
				Waycross, Ga.	0.9	22	81
				Jasper, Fla.	0.7	23	82
				Adel, Ga.	0.6	24	83

1/ In instances where producers' sales for two or more markets when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

Table 11.--Season average prices and support rates by individual grades, per 100 pounds 1/

Group and grade 2/	1984 crop Season averages					1984 Loan rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
Wrappers:							Wrappers:
A1L	--	--	--	--	--	220	A1L
A1F	--	--	--	--	--	220	A1F
Leaf:							Leaf:
B1L	--	--	--	--	--	211	B1L
B2L	(208)	(208)	--	--	208	207	B2L
B3L	204	205	205	--	204	204	B3L
B4L	201	202	203	202	201	200	B4L
B5L	194	196	192	198	195	191	B5L
B6L	--	(192)	--	--	(191)	185	B6L
B1F	(212)	(212)	--	--	212	211	B1F
B2F	208	208	--	(206)	208	207	B2F
B3F	204	204	204	205	204	204	B3F
B4F	202	202	203	204	202	200	B4F
B5F	195	197	198	201	198	191	B5F
B6F	185	190	(188)	187	187	185	B6F
B1FR	--	--	--	--	--	209	B1FR
B2FR	--	--	--	--	--	205	B2FR
B3FR	--	--	--	--	--	202	B3FR
B4FR	202	202	(204)	--	202	199	B4FR
B5FR	199	199	205	--	201	190	B5FR
B6FR	--	(192)	--	--	(194)	183	B6FR
B5R	--	--	--	--	--	163	B5R
B3K	196	197	198	203	197	193	B3K
B4K	191	192	193	200	193	185	B4K
B5K	188	190	188	196	191	180	B5K
B6K	182	186	182	188	185	172	B6K
B3KR	194	195	195	197	195	191	B3KR
B4KR	190	192	190	197	191	184	B4KR
B5KR	185	188	187	193	188	176	B5KR
B3V	191	190	193	196	192	190	B3V
B4V	186	189	189	192	189	183	B4V
B5V	180	185	183	184	183	174	B5V
B3S	186	185	185	(189)	185	180	B3S
B4S	183	181	183	188	182	175	B4S
B5S	--	--	173	--	177	171	B5S
B3KL	180	183	181	190	182	175	B3KL
B4KL	176	178	179	185	179	171	B4KL
B5KL	170	175	174	178	175	165	B5KL
B6KL	--	167	168	173	169	155	B6KL
B3KF	182	182	183	191	182	175	B3KF
B4KF	179	181	181	187	181	171	B4KF
B5KF	175	179	178	182	179	165	B5KF
B6KF	169	172	169	172	171	155	B6KF
B3KD	--	--	--	--	--	171	B3KD
B4KD	169	169	--	--	170	166	B4KD
B5KD	169	163	161	174	165	156	B5KD
B6KD	(165)	154	(155)	--	158	145	B6KD
B4KV	180	181	183	188	182	170	B4KV
B5KV	177	180	179	183	180	158	B5KV
B6KV	163	174	176	173	173	146	B6KV
B3KM	186	188	187	191	187	182	B3KM
B4KM	183	186	186	192	186	177	B4KM
B5KM	180	183	184	189	184	171	B5KM
B6KM	176	177	176	180	178	160	B6KM
B4G	177	173	176	178	175	165	B4G
B5G	162	167	173	168	169	154	B5G
B6G	--	--	(159)	--	166	142	B6G
B5GR	(159)	--	--	--	163	143	B5GR
B4GK	171	174	177	178	175	155	B4GK
B5GK	166	171	171	174	171	151	B5GK
B6GK	153	165	163	169	164	142	B6GK
B5GG	152	153	151	144	152	126	B5GG

Continued

See footnotes at end of table.

Table 11.--Season average prices and support rates by individual grades, per 100 pounds 1/--Continued

Group and grade 2/	1984 crop Season averages					1984 Loan rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
Smoking leaf:							Smoking leaf:
H3L	(207)	--	--	--	(207)	207	H3L
H4L	--	(205)	--	--	205	204	H4L
H5L	(198)	198	--	--	199	196	H5L
H6L	--	--	--	--	--	191	H6L
H3F	--	--	--	--	(207)	207	H3F
H4F	205	204	204	205	205	204	H4F
H5F	200	203	196	202	200	196	H5F
H6F	--	--	--	(205)	201	191	H6F
H4FR	--	(205)	--	--	205	200	H4FR
H5FR	203	205	--	--	204	192	H5FR
H6FR	--	--	202	--	200	185	H6FR
H4K	198	200	199	202	199	189	H4K
H5K	197	197	196	200	198	183	H5K
H6K	193	190	190	199	195	175	H6K
Cutters:							Cutters:
C1L	--	--	--	--	--	213	C1L
C2L	--	--	--	--	--	210	C2L
C3L	(207)	(208)	--	--	208	207	C3L
C4L	204	204	204	204	204	204	C4L
C5L	194	195	195	196	195	194	C5L
C4LL	175	177	--	(194)	177	175	C4LL
C5LP	162	161	159	172	162	153	C5LP
C1F	--	--	--	--	--	213	C1F
C2F	--	--	--	--	--	210	C2F
C3F	207	208	--	--	207	207	C3F
C4F	204	204	204	204	204	204	C4F
C5F	195	195	196	197	196	194	C5F
C5FP	162	163	161	172	163	153	C5FP
C4KR	190	191	192	195	191	189	C4KR
C4V	188	188	188	192	189	187	C4V
C4S	185	186	185	187	186	184	C4S
C4KL	180	181	181	183	181	179	C4KL
C4KF	181	181	182	185	182	179	C4KF
C3KM	190	191	190	194	191	190	C3KM
C4KM	186	186	186	189	186	184	C4KM
C4G	174	174	172	178	174	167	C4G
C4GK	169	172	174	177	173	161	C4GK
Lugs:							Lugs:
X1L	--	(209)	--	--	209	209	X1L
X2L	202	202	(202)	202	202	202	X2L
X3L	194	194	193	194	194	194	X3L
X4L	175	175	175	182	176	173	X4L
X5L	163	166	164	170	166	157	X5L
X4LL	158	158	--	165	160	155	X4LL
X1F	--	--	--	--	--	209	X1F
X2F	203	202	--	(203)	203	202	X2F
X3F	195	194	194	194	194	194	X3F
X4F	180	178	180	183	180	173	X4F
X5F	169	170	169	172	170	157	X5F
X3KR	183	181	187	182	183	179	X3KR
X4KR	178	176	178	182	178	171	X4KR
X3V	181	180	180	184	181	179	X3V
X4V	173	173	173	176	174	170	X4V
X3S	169	170	171	176	170	168	X3S
X4S	164	167	166	172	166	160	X4S
X4KL	162	163	163	171	163	156	X4KL
X4KF	166	166	168	169	167	156	X4KF
X4KV	164	162	165	163	164	153	X4KV
X3KM	175	175	175	178	175	168	X3KM
X4KM	169	171	170	172	170	161	X4KM
X4GK	160	163	163	165	163	151	X4GK
X4G	158	161	161	162	160	152	X4G
X5G	156	157	157	162	158	150	X5G

See footnotes at end of table.

Continued

Table 11.--Season average prices and support rates by individual grades, per 100 pounds 1--Continued

Group and grade <u>2</u> /	1984 crop Season averages					1984 Loan rate <u>3</u> / 11-14	Group and grade <u>2</u> /
	Type 11	Type 12	Type 13	Type 14	11-14		
Primings:							Primings:
P2L	159	157	158	162	158	151	P2L
P2L sand	--	--	(152)	--	150	136	P2L sand
P3L	156	154	153	155	154	145	P3L
P3L sand	154	139	--	--	149	130	P3L sand
P4L	148	149	146	142	147	132	P4L
P4L sand	140	146	146	(129)	140	119	P4L sand
P5L	134	137	134	128	133	0	P5L
P5L sand	127	--	--	--	127	0	P5L sand
P2F	166	158	161	(158)	161	151	P2F
P2F sand	--	--	--	--	--	136	P2F sand
P3F	161	158	156	154	158	145	P3F
P3F sand	154	(146)	(145)	--	150	130	P3F sand
P4F	151	152	149	145	150	132	P4F
P4F sand	143	138	(141)	134	142	119	P4F sand
P5F	135	139	135	129	134	0	P5F
P5F sand	128	--	--	--	127	0	P5F sand
P4G	138	144	141	134	139	120	P4G
P4G sand	135	(140)	(139)	--	136	108	P4G sand
P5G	128	135	128	128	130	0	P5G
P5G sand	(126)	--	--	--	(119)	0	P5G sand
Mixed:							Mixed:
M4F	--	--	--	--	--	162	M4F
M5F	--	--	--	--	--	158	M5F
M4KR	--	--	--	--	--	159	M4KR
M4KM	--	166	--	--	168	156	M4KM
M5KM	156	162	--	165	162	145	M5KM
M4GK	(162)	--	--	(159)	161	149	M4GK
M5GK	--	--	--	151	151	140	M5GK
Nondescript:							Nondescript:
N1L	125	129	128	121	125	0	N1L
N1L sand	(128)	--	--	--	(124)	0	N1L sand
N1XL	142	147	145	150	145	0	N1XL
N1K	168	167	160	175	169	131	N1K
N1R	--	(144)	(149)	--	149	121	N1R
N1GL	123	139	133	131	132	0	N1GL
N1GL sand	--	--	(91)	--	104	0	N1GL sand
N1GF	147	144	147	149	147	121	N1GF
N1KV	152	159	156	167	163	120	N1KV
N1GR	154	149	(147)	--	151	115	N1GR
N1GG	--	(141)	131	--	135	112	N1GG
N1PO	128	131	136	126	129	0	N1PO
N1PO sand	--	--	--	--	(132)	0	N1PO sand
N1XO	142	152	151	151	150	0	N1XO
N1BO	168	173	170	168	170	113	N1BO
N2	117	128	126	130	125	0	N2
No-G <u>4</u> /	116	128	129	127	124	0	No-G <u>4</u> /
No-G-F sand	121	--	--	(147)	131	0	No-G-F sand
"W"	140	(141)	(145)	--	143	0	"W"
"U"	132	138	144	141	141	0	"U"

1/ Averages based on auction sales. Averages are shown in parentheses when at least 10 but less than 20 lots were recorded. Dashes indicate that less than 10 lots were recorded.

2/ For key to standard trademarks see brief of classification on page 5.

3/ Commodity Credit Corporation loans made available through the Flue-cured Cooperative Stabilization Corporation, Raleigh, N.C.

4/ Includes No-G, No-G-F and scrap (S).

Table 12.--Average prices by weeks for representative grades and season averages--Type 11

Type 11 - 1984 crop

Group and grade	Week ending						
	Aug. 2	Aug. 9	Aug. 16	Aug. 23	Aug. 30	Sep. 6	Sep. 13
B4L	--	--	--	--	202	201	201
B3F	--	--	--	--	--	--	205
B4F	--	--	--	205	202	201	202
B5F	--	--	--	197	199	197	195
B3K	--	--	--	--	--	--	200
B4K	--	--	--	--	190	195	191
B5K	--	--	--	--	--	191	187
B3KR	--	--	--	--	192	195	193
B4KR	--	--	--	--	191	192	194
B5KR	--	--	--	--	192	--	189
B3S	--	--	--	--	--	186	188
B3KL	--	--	--	--	182	184	183
B4KL	--	--	--	172	178	177	179
B3KF	--	--	--	--	181	185	184
B4KF	--	--	170	179	179	180	181
B5KF	--	--	168	167	171	176	173
B3KM	--	--	185	186	186	188	188
B4KM	--	177	179	182	185	188	186
B5KM	--	--	--	174	182	181	180
B4GK	--	--	--	166	184	175	175
B5GK	--	--	--	--	--	161	167
H4F	--	--	--	--	--	205	205
H5F	--	--	--	--	--	204	200
H4K	--	--	--	--	--	--	--
H5K	--	--	--	--	--	--	200
C5L	--	194	194	194	195	194	194
C5LP	--	--	163	162	161	159	--
C4F	--	--	204	204	204	204	204
C5F	--	194	194	195	195	195	195
C5FP	--	155	164	165	159	161	--
C4KR	--	189	190	190	190	192	191
C4V	--	--	--	186	190	189	188
C4S	--	--	186	184	185	185	186
C4KL	--	--	179	179	180	180	181
C4KF	--	--	180	179	180	182	182
C3KM	--	--	190	190	191	192	190
C4KM	--	185	185	185	186	187	187
X3L	194	194	194	193	193	194	195
X4L	174	173	174	175	176	175	177
X5L	--	--	162	163	163	162	165
X3F	194	194	194	195	195	195	195
X4F	174	175	178	180	181	182	182
X5F	--	170	171	167	171	170	173
X4KR	--	175	177	173	181	177	182
X3V	--	179	180	180	183	183	182
X4V	--	172	172	172	173	172	175
X3S	--	163	168	170	170	169	168
X4KL	--	159	165	161	165	162	165
X4KF	--	160	165	162	169	163	172
X3KM	169	172	174	175	177	177	178
X4KM	161	165	170	169	174	173	171
X4GK	--	156	162	158	165	157	159
P3L	147	153	155	159	162	160	156
P4L	132	147	147	149	150	145	150
P5L	--	--	132	135	137	--	--
P3F	150	156	160	164	164	169	155
P4F	140	149	151	153	155	154	151
P5F	123	131	135	138	138	140	128
P4G	136	135	139	139	146	153	--
N1L	--	--	127	128	128	122	125
N1PO	--	128	130	130	128	126	122
N2	--	--	117	119	114	116	115

See footnotes at end of table.

Continued

Table 12.--Average prices by weeks for representative grades and season averages--Type 11--Continued

Type 11 - 1984 crop

Group and grade	Week ending						Season	
	Sep. 20	Sep. 27	Oct. 4	Oct. 11	Oct. 18	Oct. 25	1984	1983
B4L	200	200	200	200	--	--	201	203
B3F	204	204	204	204	205	203	204	205
B4F	202	202	201	202	201	201	202	203
B5F	197	195	194	194	194	193	195	198
B3K	197	198	198	196	197	194	196	198
B4K	192	190	190	191	192	190	191	192
B5K	189	186	186	187	189	190	188	183
B3KR	195	193	193	193	195	194	194	197
B4KR	191	188	186	190	192	191	190	191
B5KR	183	181	182	183	189	190	185	180
B3S	187	187	187	184	182	185	186	188
B3KL	182	180	177	178	178	179	180	187
B4KL	176	175	174	174	175	176	176	180
B3KF	184	181	182	179	182	181	182	184
B4KF	179	177	176	178	183	180	179	177
B5KF	177	171	171	175	180	179	175	168
B3KM	187	186	184	184	186	184	186	192
B4KM	184	181	180	181	183	184	183	186
B5KM	178	178	177	180	184	187	180	178
B4GK	172	166	167	169	169	171	171	165
B5GK	168	166	165	162	170	169	166	157
H4F	205	205	204	205	204	204	205	204
H5F	200	201	200	200	200	199	200	204
H4K	201	197	198	199	195	197	198	199
H5K	199	196	197	196	197	198	197	190
C5L	194	194	195	194	195	194	194	196
C5LP	--	--	--	--	--	--	162	162
C4F	204	204	203	204	204	205	204	205
C5F	195	194	194	196	195	195	195	198
C5FP	--	--	--	--	--	--	162	165
C4KR	190	190	190	194	190	191	190	193
C4V	188	187	--	--	180	--	188	192
C4S	185	185	186	184	190	188	185	189
C4KL	181	180	180	181	180	180	180	184
C4KF	182	180	180	181	180	180	181	184
C3KM	190	190	191	189	191	196	190	--
C4KM	185	185	184	185	185	186	186	189
X3L	194	194	194	--	--	194	194	195
X4L	174	174	175	173	174	174	175	178
X5L	164	--	--	--	--	--	163	163
X3F	194	194	193	194	194	194	195	196
X4F	178	179	176	176	174	175	180	184
X5F	171	169	163	161	164	163	169	166
X4KR	185	179	--	--	179	--	178	179
X3V	179	--	--	--	--	--	181	185
X4V	173	176	--	--	--	--	173	175
X3S	--	--	--	--	--	--	169	173
X4KL	162	160	--	157	--	--	162	165
X4KF	165	165	170	--	--	168	166	165
X3KM	173	175	173	169	--	171	175	179
X4KM	169	166	166	163	164	169	169	170
X4GK	166	--	--	--	--	--	160	158
P3L	--	--	--	--	--	--	156	152
P4L	144	--	--	--	--	--	148	140
P5L	--	--	--	--	--	--	134	124
P3F	--	--	--	--	--	--	161	156
P4F	149	148.	141	133	136	135	151	141
P5F	124	141	162	--	115	113	135	122
P4G	--	--	--	--	--	--	138	129
N1L	--	--	--	115	108	116	125	111
N1PO	--	110	--	--	--	--	128	114
N2	113	121	124	118	121	119	117	93

1/ No averages shown after October 25 due to limited sales.

Dashes indicate that less than 20 lots were recorded for the week.

Table 13.--Average prices by weeks for representative grades and season averages--Type 12

Type 12 - 1984 crop

Group and grade	Week ending					
	Aug. 2	Aug. 9	Aug. 16	Aug. 23	Aug. 30	Sep. 6
B4F	--	--	202	202	203	203
B5F	--	--	200	196	198	198
B3K	--	--	--	196	--	201
B4K	--	--	187	190	196	195
B5K	--	--	--	187	192	192
B6K	--	--	--	--	186	183
B3KR	--	--	--	190	196	195
B4KR	--	--	200	191	192	194
B5KR	--	--	--	--	187	189
B3S	--	--	--	190	187	188
B4S	--	--	--	183	184	192
B3KL	--	--	181	180	185	186
B4KL	--	173	176	177	179	182
B5KL	--	--	170	173	177	177
B3KF	--	--	182	182	186	183
B4KF	--	172	178	180	182	184
B5KF	--	--	173	177	179	185
B5KV	--	--	--	173	182	179
B3KM	--	184	185	187	190	191
B4KM	--	181	184	185	187	189
B5KM	--	--	181	182	184	187
B4GK	--	--	175	172	178	178
B5GK	--	--	168	168	175	174
C5L	194	194	195	194	195	195
C5LP	156	160	170	163	--	--
C4F	--	--	204	204	204	204
C5F	--	194	195	195	197	195
C4KR	--	189	192	190	193	192
C4S	184	184	185	187	186	188
C4KL	--	179	180	181	182	185
C4KF	--	180	181	183	181	183
C3KM	--	190	189	191	191	193
C4KM	185	185	186	186	187	187
C4GK	--	--	174	177	171	--
X3L	194	193	194	194	194	--
X4L	174	173	176	176	177	177
X5L	--	161	168	166	167	171
X3F	194	194	194	195	194	195
X4F	173	176	178	180	181	180
X5F	159	165	172	169	172	175
X3KR	--	180	182	181	--	--
X4KR	--	172	176	176	180	179
X4V	171	171	175	175	170	--
X3S	169	169	172	172	172	169
X4S	160	164	170	167	--	--
X4KL	157	160	165	166	169	164
X4KF	--	163	167	166	172	167
X4KV	157	155	164	161	166	--
X3KM	170	172	178	177	181	183
X4KM	164	167	173	173	175	174
X4GK	156	159	164	166	169	--
P2L	154	158	168	154	--	--
P3L	149	156	160	159	162	--
P4L	142	151	151	149	152	--
P3F	151	158	165	167	173	--
P4F	147	153	159	155	158	149
P5F	133	139	145	143	138	--
P4G	142	146	148	138	146	--
N1PO	122	132	138	137	142	--
N1XO	--	137	156	157	149	--
N1BO	--	--	--	165	173	179
N2	120	116	121	126	129	133

Continued

See footnotes at end of table.

Table 13.--Average prices by weeks for representative grades and season averages--Type 12--Continued

Type 12 - 1984 crop

Group and grade	Week ending					Season	
	Sep. 13	Sep. 20	Sep. 27	Oct. 4	Oct. 11	1984	1983
B4F	202	202	203	201	201	202	204
B5F	197	196	194	195	193	197	200
B3K	197	199	195	197	195	197	200
B4K	195	192	192	189	188	192	196
B5K	195	191	190	187	187	190	188
B6K	188	187	186	186	183	185	179
B3KR	197	198	194	194	195	195	202
B4KR	197	193	192	188	190	192	199
B5KR	193	192	187	185	188	188	190
B3S	189	186	183	182	184	185	193
B4S	179	179	180	179	180	181	182
B3KL	184	181	180	182	181	183	192
B4KL	181	179	176	177	177	178	189
B5KL	178	176	173	175	174	175	181
B3KF	185	181	181	179	181	182	194
B4KF	184	181	181	179	180	181	190
B5KF	180	182	178	178	179	179	181
B5KV	189	182	176	180	182	180	176
B3KM	190	187	186	185	185	188	197
B4KM	189	186	183	182	182	186	193
B5KM	186	183	180	181	181	183	186
B4GK	175	175	170	173	171	174	178
B5GK	176	173	166	172	168	171	170
C5L	195	194	194	195	194	195	197
C5LP	--	--	--	--	--	161	156
C4F	204	204	204	204	205	204	204
C5F	195	194	196	194	194	195	197
C4KR	190	192	189	190	189	191	194
C4S	186	186	188	185	184	186	188
C4KL	184	179	181	180	178	181	185
C4KF	184	182	179	180	179	181	185
C3KM	192	--	190	189	191	191	--
C4KM	187	185	185	184	185	186	189
C4GK	--	171	163	--	163	172	174
X3L	--	--	--	--	194	194	194
X4L	182	178	174	174	173	175	176
X5L	--	170	157	--	159	166	165
X3F	189	194	194	194	194	194	196
X4F	183	181	176	175	175	178	180
X5F	176	174	162	163	161	170	167
X3KR	--	--	--	--	--	181	182
X4KR	182	--	--	--	175	176	175
X4V	183	--	--	--	--	173	173
X3S	--	--	--	172	168	170	170
X4S	--	--	--	--	--	167	164
X4KL	178	--	166	160	158	163	167
X4KF	--	--	--	--	162	166	163
X4KV	--	--	159	--	--	162	164
X3KM	183	176	173	171	169	175	175
X4KM	179	173	167	165	165	171	169
X4GK	--	--	--	--	160	163	159
P2L	--	--	--	--	--	157	154
P3L	--	--	--	147	--	154	150
P4L	--	--	--	139	131	149	140
P3F	--	--	154	--	145	158	151
P4F	157	151	144	138	132	152	141
P5F	--	--	--	127	110	139	124
P4G	--	--	--	--	--	144	133
N1PO	95	--	--	--	106	131	122
N1XO	150	--	--	--	--	152	139
N1BO	181	172	177	170	168	173	166
N2	138	144	129	132	137	128	118

1/ No averages shown after week of October 11 due to limited sales.
Dashes indicate that less than 20 lots were recorded for the week.

Table 14.--Average prices by weeks for representative grades and season averages--Type 13

Type 13 - 1984 crop

Group and grade	Week ending					
	Aug. 2	Aug. 9	Aug. 16	Aug. 23	Aug. 30	Sep. 6
B4F	--	--	204	203	203	204
B5F	--	--	--	198	198	199
B3K	--	--	--	--	202	196
B4K	--	--	189	191	193	195
B5K	--	--	198	185	190	193
B6K	--	--	--	181	179	176
B3KR	--	--	--	194	198	196
B4KR	--	--	188	190	189	193
B5KR	--	--	--	--	183	193
B4V	--	--	184	189	191	192
B3KL	--	--	177	182	182	183
B4KL	--	--	175	177	179	181
B5KL	--	--	175	173	176	173
B3KF	--	--	179	185	184	183
B4KF	--	177	176	180	182	185
B5KF	--	--	173	175	177	183
B6KF	--	--	166	--	162	154
B4KV	--	--	--	182	183	182
B5KV	--	--	--	179	177	181
B3KM	--	--	188	186	189	190
B4KM	--	181	182	186	187	189
B5KM	--	--	186	183	184	186
B4GK	--	--	170	173	187	183
B5GK	--	--	161	168	173	173
C5L	195	195	195	195	194	--
C5LP	157	161	164	--	--	--
C4F	--	--	203	204	204	204
C5F	194	197	197	196	197	199
C5FP	159	160	163	--	--	--
C4KR	--	--	189	193	193	--
C4V	--	187	187	187	190	--
C4S	--	185	184	185	186	--
C4KL	--	179	180	181	182	184
C4KF	--	180	181	182	183	185
C3KM	--	190	190	191	191	191
C4KM	184	185	185	186	188	190
C4GK	--	170	170	176	180	--
X3L	193	193	194	194	192	--
X4L	173	175	174	177	179	178
X5L	--	165	164	163	--	--
X3F	194	194	193	195	197	196
X4F	176	179	178	180	184	186
X5F	171	169	168	168	172	172
X3KR	--	182	183	183	184	--
X3V	179	180	179	180	184	182
X4V	170	173	173	175	176	175
X3S	170	171	171	--	--	--
X4KL	159	161	165	164	168	--
X4KF	163	165	169	167	169	176
X4KV	--	160	163	165	173	173
X3KM	171	173	175	176	181	182
X4KM	165	169	171	172	175	176
X4GK	157	163	162	164	171	168
P3L	151	156	160	161	--	--
P4L	142	150	153	157	151	--
P3F	152	159	162	164	--	--
P4F	143	151	158	154	154	156
P5F	131	139	142	143	138	--
P4G	135	145	145	--	--	--
N1PO	128	135	140	136	141	--
N1XO	--	155	153	152	159	149
N2	104	117	128	132	129	--

See footnotes at end of table.

Continued

Table 14.--Average prices by weeks for representative grades and season averages--Type 13--Continued

Type 13 - 1984 crop

Group and grade	Week ending					Season	
	Sep. 14	Sep. 20	Sep. 27	Oct. 4	Oct. 11	1984	1983
B4F	203	204	202	201	204	203	204
B5F	200	196	196	194	196	198	202
B3K	199	199	199	198	197	198	200
B4K	196	192	192	189	191	193	198
B5K	191	187	186	186	191	188	191
B6K	181	179	181	182	188	182	180
B3KR	196	196	193	194	194	195	199
B4KR	194	189	189	188	191	190	196
B5KR	190	187	186	188	188	187	189
B4V	189	188	188	186	185	189	194
B3KL	184	182	179	179	179	181	192
B4KL	185	181	178	177	177	179	187
B5KL	181	174	175	172	171	174	178
B3KF	186	184	180	179	180	183	193
B4KF	184	182	179	181	185	181	188
B5KF	180	178	176	176	181	178	180
B6KF	169	170	166	167	178	169	166
B4KV	186	185	180	179	182	183	183
B5KV	180	176	179	180	180	179	175
B3KM	189	187	188	183	186	187	196
B4KM	191	186	185	183	186	186	193
B5KM	189	185	181	181	187	184	187
B4GK	181	176	174	173	172	177	176
B5GK	177	171	172	170	174	171	169
C5L	196	195	--	--	--	195	197
C5LP	--	--	--	--	--	159	157
C4F	204	204	--	--	--	204	205
C5F	197	195	194	193	194	196	199
C5FP	--	--	--	--	--	161	158
C4KR	194	192	--	188	--	192	193
C4V	--	--	--	--	--	188	192
C4S	--	--	189	--	--	185	186
C4KL	184	184	180	179	184	181	186
C4KF	186	181	--	181	183	182	188
C3KM	--	--	--	--	--	190	--
C4KM	189	187	185	185	185	186	190
C4GK	--	180	172	--	--	174	172
X3L	--	194	--	--	--	193	194
X4L	--	175	169	--	--	175	177
X5L	--	--	--	--	--	164	162
X3F	195	189	--	186	193	194	197
X4F	180	180	178	175	178	180	183
X5F	170	168	166	161	163	169	168
X3KR	193	--	--	--	--	187	184
X3V	183	--	--	--	--	180	182
X4V	--	--	171	--	--	173	174
X3S	--	--	--	--	--	171	171
X4KL	158	--	--	--	163	163	161
X4KF	177	--	--	156	--	168	166
X4KV	155	--	--	163	171	165	161
X3KM	181	176	178	174	172	175	174
X4KM	172	173	171	167	165	170	168
X4GK	--	165	161	--	157	163	158
P3L	--	--	--	--	--	153	150
P4L	--	--	--	--	--	146	142
P3F	--	--	--	--	--	156	150
P4F	155	143	--	132	133	149	141
P5F	--	--	--	116	--	135	127
P4G	--	--	135	--	--	141	132
N1PO	--	--	--	--	--	136	124
N1XO	--	--	--	130	150	151	134
N2	153	138	119	116	122	126	110

1/ No averages shown after week of October 11 due to limited sales.
 Dashes indicate that less than 20 lots were recorded for the week.

Table 16.--Warehouse charges by states, 1984 crop

State	Type	Auction fee ^{1/}	Commission on gross sales ^{1/}	Additional charges
			<u>Percent</u>	
Florida	14	15 cents on all piles	2-1/2	Weighing and handling 10 cents per pile on all piles
Georgia	14	of 100 pounds or less	2-1/2	of 100 pounds or less, and
North Carolina	11-13	and 25 cents on all	2-1/2	10 cents for each additional
South Carolina	13	piles over 100 pounds	2-1/2	100 pounds.
Virginia	11	25 cents per pile	2-1/2	Weighing, 10 cents per 100 pounds.

^{1/} Maximum permitted under State law.

Table 17.--Average weight per lot, 1979-84 crops

Crop	Type 11	Type 12	Type 13	Type 14	Types 11-14
	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>
1979	185	183	181	186	184
1980	179	178	181	185	180
1981	184	184	182	187	184
1982	188	185	186	192	187
1983	181	182	182	199	184
1984	184	187	187	189	186

Table 18.--Tobacco received by the Stabilization Corporation, 1981-84 crops

Crop	Type 11		Type 12		Type 13	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	<u>1,000 lb.</u>	<u>Percent</u>	<u>1,000 lb.</u>	<u>Percent</u>	<u>1,000 lb.</u>	<u>Percent</u>
1981	48,433	12.5	33,809	9.2	12,190	5.0
1982	67,166	22.9	123,016	34.2	54,598	26.2
1983	73,153	30.4	47,987	17.7	22,270	11.9
1984	71,328	26.5	55,830	19.0	23,602	13.2

Crop	Type 14		Types 11-14	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	<u>1,000 lb.</u>	<u>Percent</u>	<u>1,000 lb.</u>	<u>Percent</u>
1981	11,431	8.0	105,863	9.3
1982	14,085	11.2	258,865	26.2
1983	19,058	16.6	162,468 ^{1/}	19.9
1984	7,841	7.6	158,601	18.8

^{1/} Does not include 30.9 million pounds of 1982 carryover tobacco placed under loan.

Table 19.--Percentage distribution by groups and types, 1980-84 crops

Crop year	A Wrappers	Type 11							
		B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.
1980	--	51.7	1.4	9.7	17.7	9.7	--	9.4	.4
1981	--	57.5	.9	7.7	17.1	10.6	--	4.8	.4
1982	--	59.2	.8	12.6	14.1	10.7	--	2.1	.5
1983	--	56.0	.3	9.9	16.9	12.1	--	4.3	.5
1984	--	53.4	1.8	16.9	15.9	9.6	--	2.0	.4
Type 12									
1980	--	55.5	0.2	8.3	17.4	6.9	--	11.2	.5
1981	--	60.7	.4	10.0	16.7	8.2	--	3.7	.3
1982	--	55.8	.5	18.6	15.5	7.1	--	2.1	.4
1983	--	57.5	.2	13.9	16.3	8.5	--	3.4	.2
1984	--	59.2	.4	12.8	18.9	6.8	--	1.7	.2
Type 13									
1980	--	50.0	0.4	5.1	21.6	7.6	0.2	13.7	1.4
1981	--	55.0	.3	7.9	17.7	11.3	--	6.6	1.2
1982	--	55.7	.5	11.8	17.1	9.5	--	4.2	1.2
1983	--	57.9	.6	12.0	16.9	9.3	--	2.9	.4
1984	--	60.6	.6	9.7	17.9	9.3	--	1.5	.4
Type 14									
1980	--	54.2	0.9	6.9	13.6	9.8	0.2	12.0	2.4
1981	--	58.3	.8	5.5	12.4	8.3	--	12.4	2.3
1982	--	57.6	1.5	6.2	15.4	11.5	--	4.8	3.0
1983	--	56.7	.8	6.2	16.5	12.9	--	5.8	1.1
1984	--	53.4	2.5	9.2	15.8	12.7	.1	5.1	1.2

Dashes indicate a percentage of less than 0.1.

Table 20.--Percentage distribution by qualities and types, 1980-84 crops

Crop year	1 Choice	2 Fine	3 Good	Type 11					
				4 Fair	5 Low	6 Poor	Nondescript	Misc.	
1980	--	0.2	6.5	46.2	30.8	6.5	9.4	.4	
1981	--	.3	9.5	53.2	28.0	3.8	4.8	.4	
1982	--	.5	17.0	59.3	19.6	1.0	2.1	.5	
1983	--	.5	13.8	50.9	25.6	4.4	4.3	.5	
1984	--	.3	21.5	57.4	17.8	.6	2.0	.4	
Type 12									
1980	--	0.2	6.4	42.0	29.5	10.2	11.2	.5	
1981	--	.4	12.5	54.2	25.8	3.1	3.7	.3	
1982	--	.2	16.0	60.3	20.1	.9	2.1	.4	
1983	--	.5	15.3	55.1	22.1	3.4	3.4	.2	
1984	--	.5	19.4	61.3	15.9	1.0	1.7	.2	
Type 13									
1980	--	--	4.5	39.4	30.3	10.7	13.7	1.4	
1981	--	0.1	6.2	49.5	31.5	4.9	6.6	1.2	
1982	--	.6	12.0	58.0	22.2	1.8	4.2	1.2	
1983	--	.1	11.7	58.7	23.4	2.8	2.9	.4	
1984	--	.2	15.6	62.1	18.8	1.4	1.5	.4	
Type 14									
1980	--	0.1	4.7	38.2	32.3	10.3	12.0	2.4	
1981	0.1	.2	4.8	39.1	32.3	8.8	12.4	2.3	
1982	--	.2	9.4	49.2	28.2	5.2	4.8	3.0	
1983	--	.2	8.8	50.0	29.0	5.1	5.8	1.1	
1984	--	.3	9.3	51.5	29.5	3.1	5.1	1.2	

Dashes indicate a percentage of less than 0.1.

Table 21.--Percentage distribution by colors and types, 1980-84 crops

Type 11

Crop Year	L	F	FR-R	K-KR	LL	V	LP-FP	K 1/	G-GK	Nondescript	Misc.
1980	9.2	25.5	--	9.6	--	4.9	--	33.1	7.9	9.4	.4
1981	8.8	22.9	.1	14.6	--	3.8	--	37.1	7.5	4.8	.4
1982	9.9	25.1	.4	18.6	--	3.1	--	37.2	3.1	2.1	.5
1983	7.3	19.9	--	9.8	--	3.5	0.2	44.2	10.3	4.3	.5
1984	8.0	25.0	.1	21.7	0.1	1.4	.7	38.6	2.0	2.0	.4

Type 12

1980	6.5	15.5	0.2	4.9	--	3.6	--	45.1	12.5	11.2	.5
1981	8.4	16.7	.2	8.0	--	3.7	--	50.5	8.5	3.7	.3
1982	12.5	17.3	.4	12.5	--	3.0	--	48.6	3.2	2.1	.4
1983	8.8	14.4	.1	11.6	--	2.7	0.2	52.9	5.7	3.4	.2
1984	6.9	12.3	.1	17.0	--	.9	.4	57.6	2.9	1.7	.2

Type 13

1980	5.0	15.9	--	9.1	--	4.1	--	38.4	12.4	13.7	1.4
1981	7.0	19.6	--	10.1	--	5.2	--	39.3	11.0	6.6	1.2
1982	9.2	16.3	0.1	10.3	--	4.1	--	49.1	5.5	4.2	1.2
1983	6.7	16.2	.1	14.8	--	5.2	0.6	44.6	8.5	2.9	.4
1984	4.8	15.1	.1	21.6	--	2.4	.5	49.6	4.0	1.5	.4

Type 14

1980	7.3	14.1	--	11.2	--	2.9	--	37.8	12.3	12.0	2.4
1981	3.6	18.8	--	11.4	--	3.3	--	36.1	12.1	12.4	2.3
1982	7.4	18.4	--	14.5	--	2.5	--	42.1	7.3	4.8	3.0
1983	7.9	16.9	--	17.2	--	3.5	0.1	41.2	6.3	5.8	1.1
1984	8.7	19.3	--	23.7	--	2.4	.4	34.4	4.8	5.1	1.2

Dashes indicate a percentage of less than 0.1.

Table 22.--Percentage distribution by groups, qualities, and colors for types 11-14, 1980-84 crops

Group

Crop year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.
1980	--	53.1	0.7	7.9	17.9	8.2	--	11.3	0.9
1981	--	58.1	.9	8.2	16.5	9.7	--	5.8	.8
1982	--	56.9	.8	13.7	15.4	9.3	--	2.9	1.0
1983	--	57.1	.4	11.2	16.6	10.4	--	3.9	.4
1984	--	56.9	1.2	13.0	17.3	9.0	--	2.2	.4

Quality

Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.
1980	--	0.2	5.8	42.2	30.3	9.3	11.3	0.9
1981	--	.3	9.0	51.0	28.6	4.5	5.8	.8
1982	--	.4	14.5	58.0	21.5	1.7	2.9	1.0
1983	--	.4	13.1	53.9	24.5	3.8	3.9	.4
1984	--	.4	18.0	59.0	18.8	1.2	2.2	.4

Color

Crop year	L	F	FR-R	K-KR	LL	V	LP-FP	K 1/	G-GK	Nondescript	Misc.
1980	7.0	18.2	0.1	7.8	--	4.0	--	39.6	11.1	11.3	0.9
1981	7.6	19.7	.1	11.0	--	4.0	--	41.8	9.2	5.8	.8
1982	10.4	19.5	.2	14.0	--	3.2	--	44.6	4.2	2.9	1.0
1983	7.8	16.8	.1	12.6	--	3.6	0.3	46.7	7.8	3.9	.4
1984	6.9	17.8	.1	20.3	--	1.6	.5	47.1	3.1	2.2	.4

1/ Includes KL, KF, KD, KM, KV and S colors.

Dashes indicate a percentage of less than 0.1.

Table 23.--Percentage distribution by grades and types, 1984 crop

Group and grade	1984 crop				Group and grade	1984 crop			
	11	12	13	14		11	12	13	14
Wrappers:					Smoking leaf:				
A1L	--	--	--	--	H3L	.011	.002	--	--
A1F	--	--	--	--	H4L	.007	.009	.002	--
Total	--	--	--	--	H5L	.007	.017	--	.007
Leaf:					H6L	--	.002	--	--
B1L	.005	.001	--	--	H3F	.002	.002	.008	.004
B2L	.008	.007	--	--	H4F	.259	.038	.023	.256
B3L	.048	.012	.016	.004	H5F	.291	.044	.075	.320
B4L	.256	.168	.042	.117	H4FR	.006	.007	--	--
B5L	.091	.075	.081	.172	H5FR	.031	.017	.008	--
B6L	.001	.008	--	.001	H6FR	.001	--	.021	--
B1F	.008	.009	--	--	H4K	.544	.068	.178	.410
B2F	.021	.026	--	.010	H5K	.603	.166	.188	1.168
B3F	.491	.096	.037	.146	H6K	.086	.022	.100	.335
B4F	4.298	1.153	.857	1.184	Total H	1.848	.397	.604	2.510
B5F	1.464	.916	2.364	3.287	Cutters:				
B6F	.022	.011	.010	.041	C1L	.001	--	--	--
B1FR	.003	--	--	--	C2L	--	--	--	--
B2FR	--	--	--	--	C3L	.010	.009	.003	--
B3FR	.007	.010	--	--	C4L	.227	.155	.076	.258
B4FR	.013	.027	.007	.001	C5L	1.474	.864	.277	.924
B5FR	.028	.016	.022	--	C4LL	.042	.042	.001	.012
B6FR	--	.005	.001	--	C5LP	.445	.280	.251	.305
B5R	.003	.001	--	--	C1F	--	--	--	--
B3K	1.765	.473	.600	.093	C2F	--	.004	--	--
B4K	9.315	6.190	9.366	7.319	C3F	.031	.011	.003	.003
B5K	3.084	3.637	5.763	8.435	C4F	.836	.329	.208	.537
B6K	.276	.493	.649	1.685	C5F	4.082	1.272	1.048	1.864
B3KR	1.095	.737	.523	.227	C5FP	.218	.116	.217	.122
B4KR	3.257	3.533	3.364	2.695	C4KR	.700	.619	.237	.130
B5KR	.638	.580	.364	.987	C4V	.300	.142	.229	.550
B3V	.115	.111	.142	.112	C4S	.987	1.311	.362	.270
B4V	.240	.194	.524	.302	C4KL	1.119	1.061	1.183	.425
B5V	.032	.039	.076	.085	C4KF	.795	.315	.547	.132
B3S	.403	.550	.083	.012	C3KM	.641	.500	.235	.318
B4S	.073	.352	.058	.070	C4KM	4.821	5.496	4.416	2.916
B5S	.002	.003	.014	.006	C4G	.052	.049	.081	.084
B3KL	1.141	1.027	.656	.129	C4GK	.142	.228	.361	.310
B4KL	1.060	2.541	2.061	1.305	Total C	16.923	12.803	9.735	9.160
B5KL	.135	.457	.208	.395	Lugs:				
B6KL	.003	.028	.012	.034	X1L	.002	.009	--	--
B3KF	3.094	1.676	1.396	.246	X2L	.010	.035	.006	.024
B4KF	5.736	7.992	7.156	4.541	X3L	.752	1.007	.295	.629
B5KF	1.091	2.566	2.274	2.630	X4L	1.384	1.575	.785	1.270
B6KF	.079	.247	.252	.258	X5L	.229	.353	.191	.368
B3KD	.001	.004	--	--	X4LL	.023	.019	.002	.035
B4KD	.034	.056	.002	.011	X1F	.001	.002	.006	--
B5KD	.061	.066	.058	.030	X2F	.025	.018	.044	.018
B6KD	.013	.011	.008	--	X3F	1.858	1.135	.755	.807
B4KV	.230	.241	.315	.298	X4F	4.448	2.517	2.805	2.948
B5KV	.227	.367	.349	.854	X5F	1.054	.864	1.281	1.108
B6KV	.036	.077	.176	.321	X3KR	.197	.218	.196	.063
B3KM	4.978	5.480	4.106	.731	X4KR	.272	.244	.143	.129
B4KM	6.440	13.487	12.496	8.666	X3V	.268	.174	.582	.417
B5KM	.971	1.932	2.279	3.576	X4V	.399	.287	.831	.898
B6KM	.024	.053	.091	.228	X3S	.241	1.045	.275	.160
B4G	.053	.091	.092	.075	X4S	.043	.250	.106	.025
B5G	.016	.018	.048	.083	X4KL	.489	.838	.908	.241
B6G	--	.004	.006	.010	X4KF	.417	.286	.523	.242
B5GR	.007	.002	.002	.002	X4KV	.120	.266	.216	.306
B4GK	.516	.731	.892	1.029	X3KM	1.353	2.721	2.449	1.550
B5GK	.275	.455	.532	.761	X4KM	1.820	4.268	4.391	3.431
B6GK	.035	.047	.068	.130	X4GK	.228	.539	.860	.618
B5GG	.047	.096	.056	.036	X4G	.170	.120	.175	.330
Total B	53.365	59.185	60.554	53.370	X5G	.066	.082	.101	.171
Total X						15.869	18.872	17.926	15.788

Continued

Table 23.--Percentage distribution by grades and types, 1984 crop--Continued

Group and grade	1984 crop				Group and grade	1984 crop			
	11	12	13	14		11	12	13	14
Primings:									
P2L	.138	.260	.139	.170	Nondescript:				
P2L sand	.004	.004	.007	--	N1L	.328	.112	.107	.395
P3L	1.385	1.212	1.588	1.885	N1L sand	.006	.001	.002	--
P3L sand	.048	.009	.006	.013	N1XL	.232	.141	.104	.276
P4L	1.473	.954	1.249	2.355	N1K	.090	.092	.162	.623
P4L sand	.128	.012	.017	.017	N1R	.004	.005	.013	.006
P5L	.258	.106	.081	.433	N1GL	.106	.142	.076	.227
P5L sand	.020	--	.001	.003	N1GL sand	.001	--	.007	.005
P2F	.089	.092	.041	.073	N1GF	.021	.032	.023	.053
P2F sand	.001	.001	.001	--	N1KV	.011	.030	.037	.273
P3F	1.545	1.209	1.646	1.758	N1GR	.044	.017	.010	.001
P3F sand	.029	.009	.009	.003	N1GG	.002	.007	.016	.003
P4F	3.172	2.113	3.302	3.856	N1PO	.430	.285	.281	.780
P4F sand	.161	.021	.031	.041	N1PO sand	.002	.001	.003	.002
P5F	.753	.376	.507	.988	N1XO	.129	.257	.272	.579
P5F sand	.029	--	.003	.007	N1BO	.097	.273	.179	.664
P4G	.266	.298	.583	.839	N2	.532	.316	.197	1.181
P4G sand	.018	.005	.007	.012	Total N	2.035	1.711	1.489	5.068
P5G	.059	.118	.101	.293	No-grade 1/	.261	.154	.190	.657
P5G sand	.005	.001	.001	--	No-G-F sand	.012	.004	.002	.016
Total P	9.581	6.800	9.320	12.746	W - unsafe	.013	.005	.012	.003
Mixed:									
M4F	--	--	.001	--	U - unsound	.067	.025	.165	.525
M5F	--	--	.002	--	S - scrap	.003	.001	--	.034
M4KR	--	--	--	--	Grand total	100.000	100.000	100.000	100.000
M4KM	.003	.027	--	.006					
M5KM	.013	.013	--	.054					
M4GK	.005	.002	--	.013					
M5GK	.002	.001	--	.050					
Total M	.023	.043	.003	.123					

1/ Includes grades No-G and No-G-F.

Dashes indicate a percentage of less than 0.001.

Table 24.--Percentage breakdown of marketings by selected groupings, 1984 and 1983 crops

Grouping	Types									
	11		12		13		14		11-14	
1984	1983	1984	1983	1984	1983	1984	1983	1984	1983	
Straight grades (mature to mellow)	57.0	40.7	37.6	37.9	44.6	43.6	54.3	45.6	47.2	41.2
Variegated (KL,KF,KM,KD,KV,S)	38.6	44.2	57.6	52.9	49.5	44.6	34.6	41.2	47.1	46.7
Green	2.0	10.3	2.9	5.7	4.0	8.5	4.8	6.2	3.1	7.8
Nondescript	2.0	4.3	1.7	3.4	1.5	2.9	5.1	5.9	2.2	3.9
No-grade 1/	0.4	0.5	0.2	0.1	0.4	0.4	1.2	1.1	0.4	0.4
Total:	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

1/ Includes tobacco defined as decayed, blotched, off-type, and nested; also unsafe keeping order and unsound. Also includes grade No-G-F.

Table 25.--Percentage distribution by grades for all types, 1982-84 crops

Group and grade	Crop of:			Group and grade	Crop of:		
	1982	1983	1984		1982	1983	1984
Wrappers:				B4KM	11.605	8.682	10.463
A1L	--	--	--	B5KM	2.783	2.395	1.910
A1F	--	--	--	B6KM	.191	.148	.074
Total A	--	--	--	Total BKM	18.508	14.165	16.884
Leaf:				B4G	.110	.184	.077
B1L	0.002	0.003	0.002	B5G	.048	.081	.032
B2L	.010	.012	.005	B6G	.004	.009	.004
B3L	.122	.094	.023	Total BG	.162	.274	.113
B4L	.340	.225	.162	B5GR	.004	.020	.003
B5L	.107	.089	.093	B4GK	.874	1.406	.735
B6L	.001	.003	.003	B5GK	.724	1.646	.453
Total BL	0.582	0.426	0.288	B6GK	.154	.697	.058
B1F	.007	.014	.005	Total BGK	1.752	3.749	1.246
B2F	.031	.063	.017	B5GG	.058	.048	.065
B3F	.560	.372	.213	Total B	56.963	57.052	56.925
B4F	3.806	2.203	2.081	Smoking leaf:			
B5F	2.521	1.592	1.693	H3L	.004	.004	.004
B6F	.035	.017	.018	H4L	.010	.008	.006
Total BF	6.960	4.261	4.027	H5L	.007	.005	.009
B1FR	--	--	.001	H6L	--	--	.001
B2FR	--	--	--	Total HL	.021	.017	.020
B3FR	.004	.006	.005	H2F	.002	--	--
B4FR	.111	.028	.015	H3F	.008	.018	.003
B5FR	.087	.030	.019	H4F	.123	.045	.131
B6FR	.002	.002	.002	H5F	.096	.045	.163
Total BFR	.204	.066	.042	H6F	.004	--	.003
B4R	.003	--	--	Total HF	.233	.108	.300
B5R	.003	.006	.001	H4FR	.006	--	.004
Total BR	.006	.006	.001	H5FR	.009	.003	.017
B3K	.298	.361	.858	H6FR	.003	--	.005
B4K	5.260	4.878	7.991	Total HFR	.018	.003	.026
B5K	3.575	3.957	4.516	H4K	.132	.082	.284
B6K	.629	.949	.607	H5K	.257	.177	.433
Total BK	9.762	10.145	13.972	H6K	.090	.050	.098
B3KR	.575	.305	.740	Total HK	.479	.309	.815
B4KR	2.023	1.092	3.306	Total H	.751	.437	1.161
B5KR	.485	.282	.603	Cutters:			
Total BKR	3.083	1.679	4.649	C1L	--	.002	--
B3V	.287	.227	.119	C2L	.004	.004	--
B4V	.712	.854	.292	C3L	.039	.040	.007
B5V	.135	.165	.051	C4L	.859	.506	.173
Total BV	1.134	1.246	.462	C5L	1.581	.847	.937
B3S	.122	.131	.337	Total CL	2.483	1.399	1.117
B4S	.073	.036	.166	C4LL	--	.009	.029
B5S	.004	.003	.005	C5LP	--	.208	.329
Total BS	.199	.170	.508	C1F	--	.001	--
B3KL	.599	.375	.872	C2F	.002	.012	.001
B4KL	1.599	.905	1.819	C3F	.059	.047	.014
B5KL	.374	.224	.295	C4F	1.053	.895	.488
B6KL	.030	.022	.018	C5F	2.269	1.787	2.180
Total BKL	2.602	1.526	3.004	Total CF	3.383	2.742	2.683
B3KF	1.200	1.275	1.883	C5FP	--	.069	.170
B4KF	6.552	7.031	6.675	C4KR	.560	.322	.502
B5KF	3.080	4.988	2.049	C4V	.825	.704	.261
B6KF	.451	.986	.197	C4S	.483	.414	.876
Total BKF	11.283	14.280	10.804	C4KL	.533	.304	1.026
B3KD	--	--	.001	C4KF	--	.209	.492
B4KD	--	.178	.032	C3KM	--	--	.465
B5KD	--	.144	.058	C4KM	5.033	4.225	4.732
B6KD	--	.064	.010	Total CKM	5.033	4.225	5.197
Total BKD	--	.386	.101	C4G	.092	.151	.061
B4KV	.193	1.549	.260	C4GK	.334	.445	.240
B5KV	.360	2.197	.380	Total C	13.726	11.201	12.983
B6KV	.111	.859	.116	Lugs:			
Total BKV	.664	4.605	.756	X1L	.003	.006	.004
B3KM	3.929	2.940	4.437	X2L	.030	.035	.020

Continued

Table 25.--Percentage distribution by grades for all types, 1982-84 crops--Continued

Group and grade	Crop of:			Group and grade	Crop of:		
	1982	1983	1984		1982	1983	1984
X3L	0.879	0.755	0.728	P3F sand	0.006	0.017	0.015
X4L	1.684	1.111	1.308	P4F	2.436	3.092	2.917
X5L	.397	.340	.281	P4F sand	.038	.086	.070
Total XL	2.993	2.247	2.341	P5F	.734	.905	.599
X4LL	--	0.015	.018	P5F sand	.010	.016	.013
X1F	.005	.003	.002	Total PF	4.208	5.202	5.169
X2F	.027	.033	.026	P4G	.542	1.042	.416
X3F	.905	.999	1.240	P4G sand	.009	.012	.010
X4F	2.679	2.293	3.238	P5G	.184	.386	.118
X5F	1.070	1.130	1.043	P5G sand	.004	.002	.002
Total XF	4.686	4.458	5.549	Total PG	.739	1.442	.546
X3KR	.081	.075	.187	Total P	9.261	10.355	8.956
X4KR	.119	.075	.217	Mixed:			
Total XKR	.200	.150	.404	M4F	--	--	--
X3V	.501	.715	.321	M5F	.003	--	.001
X4V	.725	.960	.515	Total MF	.003	--	.001
Total XV	1.226	1.675	.836	M4KR	--	--	--
X3S	.378	.276	.518	M4KM	.006	--	.013
X4S	--	.075	.126	M5KM	.004	--	.015
Total XS	.378	.351	.644	Total MKM	.010	--	.028
X4KL	.383	.265	.669	M4GK	.003	--	.004
X4KF	.088	.310	.372	M5GK	--	--	.007
X4KV	.141	.885	.214	Total MGK	--	--	.011
X3KM	1.448	1.701	2.088	Total M	.016	--	.040
X4KM	2.814	2.897	3.422	Nondescript:			
Total XKM	4.262	4.598	5.510	N1L	.298	.363	.214
X4GK	.623	.849	.520	N1L sand	.001	.001	.002
X4G	.298	.490	.174	N1XL	.163	.195	.179
X5G	.154	.304	.092	N1K	.200	.271	.172
Total XG	.452	.794	.266	N1R	.019	.030	.007
Total X	15.432	16.597	17.343	N1GL	.168	.500	.127
Primings:				N1GL sand	.001	.004	.002
P2L	.205	.149	.185	N1GF	.035	.239	.029
P2L sand	--	.002	.004	N1KV	.068	.497	.056
P3L	1.591	1.335	1.431	N1GR	.015	.128	.022
P3L sand	.010	.016	.021	N1GG	.010	.010	.007
P4L	2.113	1.836	1.354	N1PO	.647	.265	.391
P4L sand	.023	.047	.050	N1PO sand	.001	.005	.002
P5L	.366	.323	.189	N1XO	.429	.136	.260
P5L sand	.006	.003	.007	N1BO	.221	.235	.246
Total PL	4.314	3.711	3.241	N2	.627	1.036	.465
P2F	.065	.058	.078	Total N	2.903	3.915	2.181
P2F sand	--	--	.001	No-grade 1/	.948	.443	.411
P3F	.919	1.028	1.476	Grand total	100.000	100.000	100.000

1/ Includes tobacco defined as decayed, off-type, nested, unsafe keeping order, and unsound. Also includes grade No-G-F sand, which totaled 0.008 percent in 1984.
Dashes indicate a percentage of less than 0.001.

Table 26.--Average price by grade groups and types

Type	1984 crop							1983 crop						
	Group							Group						
	B	H	C	X	P	M	N	B	H	C	X	P	M	N
11	187	199	188	177	150	159	128	178	195	194	175	140	--	112
12	186	199	187	175	151	165	143	189	198	191	174	140	--	133
13	187	196	186	173	149	165	142	190	201	190	172	140	--	130
14	192	201	191	177	144	160	143	192	203	189	171	138	--	141
11-14	187	199	188	175	149	161	138	187	200	191	174	139	--	128

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
WASHINGTON, DC 20250



POSTAGE & FEES PAID
United States Department of Agriculture
AGR 101

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
FCR

THIRD CLASS